

Bor
1393
Chicago Relief and Aid Society.

REPORT

OF THE

COMMITTEE

ON

SICK, HOSPITAL, AND SANITARY MEASURES.

[FROM THE GENERAL REPORT OF THE SOCIETY.]

PRINTED FOR THE
CHICAGO RELIEF AND AID SOCIETY,

At the Riverside Press.

1874.

Chicago Relief and Aid Society.

REPORT

OF THE

COMMITTEE

ON

SICK, HOSPITAL, AND SANITARY MEASURES.

[FROM THE GENERAL REPORT OF THE SOCIETY.]

PRINTED FOR THE
CHICAGO RELIEF AND AID SOCIETY,

At the Riverside Press.

1874.

SICK, SANITARY, AND HOSPITAL MEASURES.

IMMEDIATELY after the fire, the Board of Health began to gather the sick and injured who could not find refuge in private families, into churches and school-houses where they were tenderly cared for by physicians and citizens, who very generally tendered their services. In order that there might be as little delay as possible, the sanitary policemen were authorized by the Mayor to impress teams for the transportation of the sick from the prairies and vacant lots whither they had been driven by the flames. At the headquarters of the Citizen's Committee, corner of West Washington and Ann streets, Drs. Rauch and Johnson, of the Board of Health, and Dr. J. E. Gilman of the Citizen's Committee were constantly engaged in assigning physicians and providing medicines and stores for the churches and other buildings used as temporary hospitals.

When the Relief and Aid Society took charge of the General Relief work in accordance with the proclamation of the Mayor, it assigned to Dr. H. A. Johnson the special duty of organizing and directing this department, with authority to associate with himself such members of the medical profession as he should think best. The following gentlemen comprised the Committee as finally constituted: Dr. H. A. Johnson, chairman, and Drs. B. McVickar, R. Ludlam, M. J. Asche, J. H. Rauch, M. Manheimer, Ernst Schmidt, B. C. Miller, and Rev. H. N. Powers. Dr. J. E. Gilman was appointed secretary.

For several weeks the committee held daily meetings, and weekly meetings were held during the entire winter.

VISITATION.

The city was divided into districts and sub-districts, with the same boundaries and the same offices as those of the Superintendents of Distribution.

To each of these divisions a Medical Superintendent and a sufficient number of visiting physicians were appointed. Their duties were defined in the following circular: —

TO MEDICAL OFFICERS.

First. Each visiting physician will establish an office in connection with the depot of distribution in his district.

Second. He will, at a specified hour, morning and evening, visit the office and answer such calls as may be left by the Superintendent of Distribution, the visitors, and the Medical Superintendent of the district.

Third. He will supply himself with a case and medicines for the use of those only who are the proper subjects of relief by this Society.

Fourth. He will affix to each prescription that he may send to the dispensing chemist, his signature, with a statement that this prescription is on account of the Chicago Relief and Aid Society.

Fifth. He will especially examine into the sanitary condition of his district, the quantity and quality of food, clothing, dwellings, etc., and all matters having a bearing upon public or private health.

Sixth. He will report daily to the Medical Superintendent of his district, the name, age, sex, and nativity of each patient, with the name of the disease, result of treatment, number of visits to each patient, and such other information as the Medical Superintendent may, from time to time, require.

Seventh. Each Medical Superintendent will have the immediate direction of the medical service and sanitary interest of his district, and will be held responsible for the faithful performance of this work. He will assign visiting physicians to sub-districts, and require of them daily reports of their work. These reports he will condense and present weekly to the Committee. He will admit patients to hospital, and in cases of emergency, visit patients at their homes.

The General Superintendent directed visitors to report all cases coming to their knowledge requiring medical attendance, and the person in charge of each office had such reports at all times in readiness for the medical officer of the district, when he called. All possible aid was given the medical officer of the district, and he was allowed free access to the office and books of the Society at all times.

MEDICAL DISPENSARIES.

In addition to this provision for the visitation of the sick at their homes, dispensaries were established at convenient points, where such patients as were able to apply in person for advice were treated, and where medicines were dispensed upon the prescriptions of any physician certifying that his services in the case were gratuitous. In the North Division of the city there was only one of these institutions; in the West Division there were three, and in the South Division two. Medicines were also dispensed, and out-patients treated at all of the hospitals.

The physicians to these dispensaries were men of approved character and professional standing.

HOSPITALS.

For the relief of such patients as could not safely be treated in their homes or quarters, and who could not apply at a dispensary, hospital accommodations were provided. Fortunately the principal hospitals of the city were in the unburned district. Arrangements were made with all these institutions by which patients were received on account of this Society, without charge for medical and surgical attendance, nursing and general care; the Society furnishing only medicines, rations, and

furniture for such relief patients as were received on its account. These hospitals were as follows : —

The Providence Hospital, located just beyond the northern limits of the city. The Women's and Children's Hospital, formerly located on North State Street, but after the fire at No. 598 West Adams Street. This was mainly a lying-in-hospital. The Chicago Eye and Ear Infirmary, under the care of Dr. E. L. Holmes, before the fire on Pierson Street in the North Division, now at 579 West Adams Street. St. Luke's Hospital, on Indiana Avenue between Fourteenth and Sixteenth streets. The Hahnemann Hospital, on Cottage Grove Avenue near Twenty-ninth Street. Mercy Hospital, corner of Calumet Avenue and Twenty-sixth Street, and the County Hospital, on Arnold Street, near Eighteenth Street.

In addition to these accommodations, hospitals were constructed in connection with the barracks in the West and North Divisions of the city. Patients were admitted to hospitals upon the order of the medical officers of the Chicago Relief and Aid Society, the Sanitary Superintendent of the Board of Health, and the County Physician.

Supplies to hospitals and dispensaries were issued upon requisitions indorsed by the chief medical officer of the institution, and approved by the Chairman of the Committee on Sick, Sanitary, and Hospital Measures.

The dispensaries and hospitals reported daily to the chairman of this committee the number of patients treated, number of deaths, number of recoveries, and as often as required, the names of relief patients under treatment. With the daily reports from the visiting physicians and these reports from hospitals and dispensaries, the Committee was able to give at any time the name and address, age, sex, nationality, disease, and the result of treatment of every patient under its care.

BURIALS.

Arrangements were made with the county authorities by which, at a small cost to the Relief Society, all who died while under the care of this department were furnished a coffin and hearse to any of the cemeteries in the vicinity of the city.

HOW MEDICAL RELIEF WAS OBTAINED.

To obtain medical relief, it was only necessary to make application to some one of the Superintendents of Distribution, to a Visitor of that bureau, or to a Medical Superintendent.

SANITARY REGULATIONS AND CONDITION.

The sanitary questions connected with houses and barracks were carefully considered, and the suggestions of this Committee were adopted by the Committee on Shelter. The barracks were subject to a careful daily inspection by sanitary officers, and regulations best calculated to maintain health were rigidly enforced. The statistics indicate that these quarters were probably more healthy than those occupied by the same class of tenants before the fire. Up to November 30, only one death had occurred among a population of five thousand in barracks.

SMALL-POX.

For four years our city had experienced a singular immunity from small-pox. We could hope to maintain this only by the same measures hitherto used, namely, vaccination and revaccination. In order to accomplish this it was found necessary to make satisfactory vaccination a condition upon which supplies were issued. The blanks published with this report explain sufficiently the mode

of doing the work. About sixty-four thousand persons were vaccinated by the officers of the Society.

During the winter of 1871-72 small-pox was epidemic throughout the country. Many of the smaller as well as larger cities suffered severely from it. The mortality in Chicago from this cause during the whole winter was low. Of the comparatively few cases that did occur many were brought in from the country, while many more were emigrants. Thirty of these were from the ill-fated steamer *Allemania*, arriving at New York with the disease on board. It seems hardly possible to exaggerate the disaster that in all human probability was averted by this systematic and thoroughly executed plan of the Committee. The results of about thirty thousand vaccinations and revaccinations will be found in the tables published herewith.

TYPHOID FEVER.

Soon after the fire in the more densely crowded portions of the city, where, in many instances, several families were compelled to occupy one small badly ventilated house, typhoid fever made its appearance. These districts were carefully inspected, and the Shelter Committee provided other quarters whenever deemed necessary by the medical officers. The disease did not spread. It disappeared, as usual, with the advance of winter.

CHANGE IN PLAN OF WORK.

The Relief and Aid Society had appropriated nearly \$200,000 for the various hospitals of the city on condition that these hospitals should, upon the order of the Society, receive, care for, and provide for all the medical and surgical wants of one patient for each \$1,000 appropriated. In other words the appropriation constituted an endowment of about two hundred beds, subject to the control of the Relief Society. About the 1st of February,

1872, the issue of rations to hospitals was therefore discontinued and, to such sick as needed hospital care, permits, or orders were given upon which they were admitted into these institutions. The plan of visitation was materially modified. The district medical officers were discontinued and the work was done by the dispensaries, the Society furnishing medicines and meeting such incidental expenses as were necessary for their support. In addition to the aid given to the dispensaries proper, a small monthly salary was paid to those physicians who were employed by the dispensaries in visiting patients at their homes. The prescribing physicians at the dispensaries received no compensation whatever. On the 15th of March, 1872, Dr. John Reid, who had served as medical superintendent of the First District, was appointed General Medical Superintendent, and continued to perform the duties of that office till May 1st, 1873. The reports from the dispensaries and hospitals were made regularly, and the general record of this department of the Society's work maintained with uniformity till May 1st, 1873.

AUXILIARY AID.

On the 25th of November, 1871, the following circular was prepared and issued, earnestly inviting the coöperation of the citizens in providing for the sick proper nourishment, delicacies, and such care as could not be given by the physician.

MEDICAL RELIEF.

The Sick, Sanitary, and Hospital Committee of the Chicago Relief and Aid Society desire to secure the personal coöperation of benevolent citizens in the important and responsible work that comes under their supervision. The visiting and dispensing Physicians are unable, from the nature of their engagements, to provide in all cases such treatment and attentions as would best conduce to the welfare of their patients. Not seldom the sick are in need of some article of diet or simple luxury,

which if opportunity furnished, would not only be grateful to the sufferer, but instrumental in his recovery. It is believed that there are among us many persons of benevolent character and valuable sanitary experience who would be willing to give some personal attention to these cases, if the way could be pointed out to them, and if they could be assured that their services would be welcomed by the physicians in charge.

The Committee wish to inform all such persons that their ministrations to the sick depending upon the Relief and Aid Society, in their respective neighborhoods, is sincerely desired and would be gratefully accepted. Pastors, Churches, and Charitable Societies are requested to organize visitors in localities in which they are situated for efficient aid in this particular. Sometimes such immediate provision for the sick is needed as cannot be procured in time through the ordinary channels of relief, which might be speedily furnished in the way that is proposed. Where the expense attending such ministrations is of a kind to be at all burden some to visitors it will be paid out of the funds of the Society. What is aimed at is such an alert, kind, and intelligent care of the sick as shall be most promotive of their speedy convalescence. Such as desire are respectfully requested to put themselves in communication with the Medical Superintendents and Medical Officers of this Committee, who may be found at the Depot of Distribution.

HORATIO N. POWERS, }
R. LUDLAM. } *Special Committee.*

In response to this circular the "Ladies Aid Society" and many individuals not connected with any organization, rendered, under the direction of the medical officers, timely and valuable services. In every case a record was made and a report rendered of the kind and amount of aid supplied. The tables herewith published, with few exceptions, perhaps sufficiently explain themselves. The nomenclature of disease adopted by the physicians was not found to be in all respects the same, but it is believed that the results are not materially affected by that fact. Wherever a doubt existed as to the meaning of the reporter, a personal inquiry was addressed to him upon the subject and the assignment of the case determined by his reply. It will be seen that some terms are used in a general sense. Diphtheria, for instance, embraces not only diphtheritic inflammation of the fauces, but also the

same form of disease of the larynx. Without discussing the propriety of the grouping of these two forms of the disease under the same name, it has seemed almost a necessity, as croup, diphtheritic croup, membranous croup, and diphtheria, have been used by different reporters apparently for the designation of the same disease. On the contrary, spasmodic croup or false croup has been placed under the general term of laryngitis.

The physicians reporting these cases were without exception men of thorough medical education, many of them of large experience in hospital and private practice and there is every reason to rely upon the accuracy of their diagnosis. The statistics of mortality are absolutely accurate, as a single death could not have escaped the knowledge of the Department, even though the patient had been transferred before the termination of the case to the care of a physician not connected with the Society. No burial could take place without a registry or permit from the Board of Health, and the mortuary record of the Society was constantly compared with the official registration.

It is believed that these tables contain information not readily accessible in any other form. They present a picture of the sanitary condition and vital force of about one hundred thousand of our citizens during the year 1872,—not only the deaths but the diseases and the mortality from each disease at different ages and in the two sexes.

This represents much more nearly the work of physicians in private practice than either the statistics of hospitals or dispensaries, or of army practice, and so far as is known to the chairman of the Committee furnishes the largest collected and tabulated record of the kind in existence. The meteorological record is taken from the official register of the Board of Health of the city of Chicago. The direction and force of the wind is an approximation arrived at by taking the daily record

for the first half of the month and giving only the average for the period, and repeating the same process for the last half.

The daily reports contain, besides the information here given, the nationality and as far as possible the occupation of each patient. These reports are also complete for the whole period from October 16th, 1871, to May 1st, 1873, covering 89,724 cases.

The blanks used by the Committee need no explanation.

RECORD OF PATIENTS RECEIVED

IN THE HOSPITALS, ON ORDERS OF THE CHICAGO RELIEF AND AID SOCIETY, FROM OCTOBER 16, 1871, TO MAY 1, 1873.

HOSPITAL.	Patients received in Hospitals from October 9, 1871, to Oc- tober 16, 1871.	Patients ad- mitted since October 16, 1871.	Patients died.	Total Patients treated.	Patients remaining in the Hospitals, May 1, 1873.
Mercy	124	245	23	369	31
St. Luke	29	162	20	191	8
St. Joseph	25	194	29	219	10
Women and Children's	27	198	8	225	15
Hahnemann	12	86	2	98	1
Eye and Ear	5	39	—	44	—
Total	222	924	82	1,146	65

RECORD OF PATIENTS TREATED,
PRESCRIPTIONS FILLED, AND VACCINATIONS PERFORMED AT THE
DISPENSARIES UNDER CHARGE OF THE CHICAGO RELIEF AND
AID SOCIETY, FROM OCTOBER 16, 1871, TO MAY 1, 1873.

DISPENSARY.	Patients Treated.	Prescriptions Filled.	Vaccinations Performed.	Medical Director.
Central	14,448	20,168	4,527	P. Adolphus.
North Star . . .	14,335	23,174	2,354	John Reid.
Davis Free . . .	11,809	18,133	916	D. T. Nelson.
Herrick	9,171	12,270	1,438	J. W. Hutchins.
Hahnemann . . .	1,288	1,860	235	T. S. Hoyne.
Women and Chil- } dren's }	103	194	45	M. A. Thompson.
Eye and Ear . .	744	860	—	E. L. Holmes.
Total	51,898	76,659	9,515	

RECORD OF PATIENTS TREATED
AND VISITS MADE BY THE VISITING PHYSICIANS OF THE CHICAGO
RELIEF AND AID SOCIETY, FROM OCTOBER 16, 1871, TO MAY 1,
1873.

DISTRICTS.	Medical Superintendents.	Patients treated at Residence.	Visits made at Residence.	Vaccinations performed at Residence.	Vaccinations performed at District Supply Headquarters.
1	John Reid . . .	13,313	17,470	334	12,074
2	William Wagner	6,611	10,598	1,016	21,386
3	R. G. Bogue . .	4,661	7,230	561	4,191
4	Edwin Powell . .	6,494	7,550	313	3,924
5	J. W. Freer . .	5,601	8,530	1,070	9,549
	Total	36,680	51,378	3,294	51,124

Grand Total of Patients treated	89,724
Grand Total of Prescriptions filled	76,660
Grand Total of Vaccinations performed	63,933
Grand Total of Visits made	51,378
Grand Total of Deaths	519
Per cent. of Deaths to Patients	0.58

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS UNDER FIVE (5) YEARS OF AGE,
FOR THE YEAR 1872.

LIST OF DISEASES.	1872.			JANUARY.			FEBRUARY.			MARCH.					
	Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.			
Epilepsy	-	3	3	-	-	1	1	2	-	-	1	-	1	-	-
Convulsions	5	7	12	1	1	15	6	21	2	1	15	9	4	1	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	2	2	4	1	1	3	-	3	-	-	1	1	1	-	-
Paralysis, Partial .	-	2	2	-	-	1	2	3	-	-	-	-	-	-	-
Spinal Curvature . .	1	1	2	-	-	1	1	1	-	-	1	1	1	-	-
Neuralgia	2	4	6	-	-	1	2	3	-	-	2	2	2	-	-
Conjunctivitis . . .	17	8	25	-	-	11	6	17	-	-	2	4	4	-	-
Granular Lids . . .	4	-	4	-	-	2	1	3	-	-	2	2	2	-	-
Keratitis	-	1	1	-	-	1	1	2	-	-	3	4	4	-	-
Coryza	2	4	6	-	-	5	3	8	-	-	2	2	2	-	-
Catarrh	28	10	38	-	-	18	10	28	-	-	1	3	3	10	-
Tonsillitis	12	12	24	-	-	10	11	21	-	-	3	3	6	-	-
Pharyngitis	2	7	9	1	1	4	2	6	-	-	3	3	6	13	-
Diphtheria	-	5	5	-	-	-	10	10	-	-	3	3	6	-	1
Laryngitis	13	24	37	-	-	6	8	14	-	-	1	5	9	11	-
Bronchitis	98	78	176	2	-	138	107	245	1	1	61	44	108	-	-
Bronchitis Chronic	20	15	35	-	-	51	21	72	-	-	17	7	24	-	-
Bronchitis with Di-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arrhoea	9	12	21	-	-	27	15	42	-	-	15	6	21	-	-
Pertussis	23	12	35	-	-	29	13	42	-	-	14	7	21	-	-
Pneumonia	23	40	63	1	-	10	20	30	1	4	13	8	21	2	3
Pleuritis	-	1	1	-	-	1	3	4	-	-	1	1	1	-	-
Dyspepsia	-	2	2	-	-	2	6	8	-	-	3	4	12	-	-
Ulcer of Stomach . .	-	-	-	-	-	-	-	-	-	-	8	1	4	-	-
Cholera Infantum . .	-	-	-	-	-	-	-	-	-	-	5	4	9	-	-
Diarrhoea	19	29	48	-	-	37	32	69	-	-	24	14	38	-	-
Diarrhoea, Chronic	13	8	21	-	-	14	11	25	2	-	10	8	18	-	-
Dysentery	5	4	9	-	-	9	3	12	-	-	7	3	10	-	-
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	2	4	6	-	-	2	8	10	-	-	4	12	16	1	1
Constipation	3	6	9	-	-	4	8	12	-	-	8	10	18	-	-
Helminthiasis . . .	21	25	46	-	-	22	10	32	-	-	6	4	10	-	-
Jaundice	9	3	12	-	-	12	5	17	-	-	7	4	11	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anasarca	-	2	2	-	-	1	2	3	-	-	2	2	4	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urine	2	-	2	-	-	1	-	1	-	-	3	1	4	-	-
Phthisis	3	6	9	-	-	9	3	12	1	1	9	5	14	-	1
Rheumatism	12	14	26	-	-	17	8	25	-	-	2	2	4	-	-
Rheumatism Chronic	4	2	6	-	-	12	3	15	-	-	2	1	3	-	-
Erysipelas	5	1	6	-	-	3	-	3	-	-	1	-	1	-	-
Ephemeral Fever . .	18	25	43	-	-	10	10	20	-	-	4	6	10	-	-
Intermittent Fever	13	8	21	-	-	13	6	19	-	-	9	12	21	-	-
Intermittent with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	6	3	9	-	-	5	11	6	-	-	3	1	4	-	-
Remittent Fever . .	14	10	24	-	-	15	11	26	2	-	20	15	35	-	-
Typhoid Fever . . .	9	2	11	-	-	10	3	13	-	1	9	3	12	-	-
Cerebro-spinal Men-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ingitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	434	402	836	6	3	532	373	905	9	9	320	239	559	7	7

JANUARY.				FEBRUARY.				MARCH.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
26°	.670	S. W. h.	N. W. g.	27°	.690	S. W. g.	S. E. g.	29°	3.220	N. E. h.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS UNDER FIVE (5) YEARS OF AGE,
FOR THE YEAR 1872.— *Continued.*

1872.	APRIL.						MAY.						JUNE.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
LIST OF DISEASES.																		
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	7	4	11	2	1	5	7	12	1	1	-	-	7	3	14	-	-	-
Chorea	2	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	1	1	-	1	-	1	1	-	-	-	1	1	2	-	-	-
Paralysis, Partial	1	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
Spinal Curvature	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis	1	-	1	-	-	-	3	3	-	-	-	-	6	3	9	-	-	-
Granular Lids	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	-	-	-
Keratitis	2	4	6	-	-	-	1	1	-	-	-	-	2	2	2	-	-	-
Coryza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh	3	4	7	-	-	2	4	6	-	-	-	-	2	2	-	-	-	-
Tonsillitis	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pharyngitis	7	4	11	3	2	-	1	1	-	-	-	-	1	1	-	-	-	-
Diphtheria	-	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-
Laryngitis	1	4	5	-	-	2	4	6	-	-	-	-	2	2	2	-	-	-
Bronchitis	19	14	33	-	-	9	5	14	-	-	-	-	5	4	9	-	-	-
Bronchitis, Chronic	7	3	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis with																		
Diarrhoea	4	1	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pertussis	2	-	2	2	-	1	3	4	-	-	-	-	3	3	6	-	-	-
Pneumonia	9	4	13	-	2	5	9	14	-	-	-	-	7	5	12	-	-	-
Pleuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	5	2	7	-	-	1	-	1	-	-	-	-	2	2	-	-	-	-
Ulcer of Stomach	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cholera Infantum	9	5	14	-	-	10	5	15	-	-	-	-	7	12	19	1	4	-
Diarrhoea	17	8	25	2	1	6	2	8	-	-	-	-	24	15	39	-	-	-
Diarrhoea Chronic	4	2	6	-	-	2	7	2	-	-	-	-	8	3	11	-	-	-
Dysentery	8	6	14	-	-	5	7	12	-	-	-	-	13	10	23	-	-	-
Cholera Morbus	-	-	-	-	-	-	1	1	-	-	-	-	10	2	12	-	-	-
Enteritis	10	8	18	-	1	3	8	11	-	-	-	-	2	5	7	-	-	-
Constipation	5	9	14	-	-	5	6	11	-	-	-	-	1	4	5	-	-	-
Helminthiasis	8	7	15	-	-	7	8	15	-	-	-	-	11	4	15	-	-	-
Jaundice	4	1	5	-	-	6	3	9	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anasarca	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of																		
Urine	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis	4	8	12	2	-	4	1	5	1	-	-	-	4	11	-	-	-	-
Rheumatism	1	-	1	-	-	6	8	-	-	-	-	-	1	1	-	-	-	-
Rheumatism, Chronic	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Erysipelas	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
Ephemeral Fever	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Intermittent Fever	8	2	10	-	-	4	-	4	-	-	-	-	5	1	6	-	-	-
Intermittent with																		
Diarrhoea	5	1	6	-	-	1	-	1	-	-	-	-	4	1	5	-	-	-
Remittent Fever	9	3	12	-	-	5	2	7	-	-	-	-	7	1	8	-	-	-
Typhoid Fever	5	1	6	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-
Total	173	112	285	12	9	95	88	183	3	1	140	101	241	2	4			

APRIL.				MAY.				JUNE.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
48°	2.90	S. W. h.	N. E. h.	57½	3.235	S. W. g.	S. E. h.	70½	3.410	S. W. g.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS UNDER FIVE (5) YEARS OF AGE,
FOR THE YEAR 1872.— *Continued.*

1872.	JULY.						AUGUST.						SEPTEMBER.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
LIST OF DISEASES.																		
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	-	-
Convulsions	9	4	13	1	-	-	9	5	14	-	1	-	4	12	16	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	1	-	-	-	1	3	4	-	-	-	2	-	2	-	-	-
Paralysis, Partial	1	-	1	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-
Spinal Curvature	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
Neuralgia	1	1	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Conjunctivitis	9	3	12	-	-	-	-	2	2	-	-	-	7	1	8	-	-	-
Granular Lids	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Keratitis	1	2	3	-	-	-	2	1	3	-	-	-	1	1	2	-	-	-
Coryza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh	9	5	14	-	-	-	5	1	6	-	-	-	2	2	4	-	-	-
Tonsillitis	-	-	-	-	-	-	-	-	-	-	-	-	3	6	9	-	-	-
Pharyngitis	-	1	1	-	-	-	-	1	1	-	-	-	4	1	5	-	-	-
Diphtheria	1	2	3	-	-	-	-	1	1	-	-	-	1	5	6	-	-	-
Laryngitis	2	1	3	-	-	-	-	4	4	-	-	-	1	6	7	-	-	-
Bronchitis	3	-	3	-	-	-	3	1	4	-	-	-	11	10	21	-	-	-
Bronchitis, Chronic	-	-	-	-	-	-	-	-	-	-	-	-	9	3	12	-	-	-
Bronchitis with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	2	-	2	-	-	-	1	-	1	-	-	-	6	2	8	-	-	-
Pertussis	5	7	12	-	-	-	7	1	8	-	-	-	9	6	15	1	-	-
Pneumonia	2	9	11	-	-	-	4	1	5	-	-	-	9	2	11	-	-	-
Pleuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dyspepsia	2	1	3	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-
Ulcer of Stomach	1	1	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Cholera Infantum	18	27	45	2	8	30	38	30	68	5	7	12	19	10	29	1	2	-
Diarrhoea	33	18	51	1	-	-	35	10	45	1	1	2	37	22	59	-	-	-
Diarrhoea, Chronic	9	6	15	-	-	-	10	6	16	-	-	-	9	3	12	-	-	-
Dysentery	11	4	15	1	-	-	14	6	20	-	-	-	14	8	22	-	-	-
Cholera Morbus	8	3	11	-	-	-	11	2	13	-	-	-	5	-	5	-	-	-
Enteritis	-	5	5	-	-	-	1	4	5	-	-	-	2	10	12	-	-	-
Constipation	5	2	7	-	-	-	-	4	4	-	-	-	1	4	5	-	-	-
Helminthiasis	12	6	18	-	-	-	7	3	10	-	-	-	12	5	17	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-
Anasarca	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urine	1	-	1	-	-	-	1	1	2	-	-	-	1	1	2	-	-	-
Phthisis	2	-	2	-	-	-	4	-	4	-	-	-	3	3	6	-	-	-
Rheumatism	5	1	6	-	-	-	2	-	2	-	-	-	3	-	3	-	-	-
Rheumatism, Chronic	-	-	-	-	-	-	2	-	2	-	-	-	1	1	2	-	-	-
Erysipelas	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Ephemeral Fever	-	2	2	-	-	-	2	-	2	-	-	-	1	1	2	-	-	-
Intermittent Fever	1	1	2	-	-	-	3	-	3	-	-	-	3	1	4	-	-	-
Intermittent with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	1	-	1	-	-	-	5	2	7	-	-	-	-	2	2	-	-	-
Remittent Fever	6	-	6	-	-	-	6	2	8	-	-	-	11	3	14	-	-	-
Typhoid Fever	-	-	-	-	-	-	8	4	12	-	-	-	7	6	13	-	-	-
Cerebro-spinal Men- ingitis	1	1	2	-	-	-	3	1	4	-	1	-	1	1	2	-	-	-
Total	102	114	216	6	8	14	187	103	290	6	11	19	198	148	346	2	2	-

JULY.			AUGUST.			SEPTEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
72½°	4.060	S. W. h. N. W. g.	72°	2.560	N. W. g. S. W. g.	64°	6.430	S. W. g. S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS UNDER FIVE (5) YEARS OF AGE,
FOR THE YEAR 1872. — *Continued.*

1872.	OCTOBER.						NOVEMBER.						DECEMBER.						Total Patients.	Total Deaths.
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.				
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.		
Epilepsy	1	2	3	-	-	-	-	1	1	-	-	-	2	2	-	-	-	16		
Convulsions	7	3	10	1	1	2	7	5	12	1	1	2	5	6	11	1	-	161		
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20		
Meningitis	3	1	4	-	1	1	2	-	2	-	-	2	2	4	-	-	-	28		
Paralysis, Partial .	-	-	-	-	-	-	2	2	4	-	-	-	1	1	2	-	-	19		
Spinal Curvature .	-	1	1	-	-	-	1	1	2	-	-	-	2	1	3	-	-	13		
Neuralgia	-	2	2	-	-	-	2	1	3	-	-	-	-	2	2	-	-	21		
Conjunctivitis . . .	5	3	8	-	-	-	9	4	13	-	-	-	19	13	32	-	-	134		
Granular Lids . . .	-	1	1	-	-	-	4	-	-	-	-	-	1	1	2	-	-	15		
Keratitis	-	1	1	-	-	-	2	2	4	-	-	-	2	2	4	-	-	33		
Coryza	-	2	2	-	-	-	1	3	4	-	-	-	3	6	9	-	-	32		
Catarrh	8	6	14	-	-	-	18	8	26	-	-	-	41	10	51	-	-	204		
Tonsillitis	-	-	-	-	-	-	4	8	12	-	-	-	4	9	13	-	-	86		
Pharyngitis	3	1	4	-	-	-	3	3	6	-	-	-	5	3	8	-	-	66		
Diphtheria	1	3	4	1	1	2	4	12	16	-	-	-	15	10	25	-	-	82		
Laryngitis	4	9	13	-	1	1	5	14	19	-	-	-	19	25	44	-	-	168		
Bronchitis	19	9	28	-	-	-	29	19	48	-	-	-	64	40	104	-	-	793		
Bronchitis, Chronic	9	2	11	-	-	-	10	3	13	-	-	-	24	12	36	-	-	222		
Bronchitis with																				
Diarrhoea	6	4	10	-	-	-	9	3	12	-	-	-	11	2	13	-	-	136		
Pertussis	8	8	16	-	-	-	10	4	14	-	-	-	29	13	42	-	-	217		
Pneumonia	7	7	14	-	-	-	29	18	47	-	-	-	29	19	48	-	-	295		
Pleuritis	8	5	13	-	-	-	2	4	6	-	-	-	4	3	7	-	-	28		
Dyspepsia	-	-	-	-	-	-	1	1	2	-	-	-	2	-	2	-	-	43		
Ulcer of Stomach . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11		
Cholera Infantum . .	9	4	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	212		
Diarrhoea	17	10	27	-	-	-	32	11	43	-	-	-	33	26	59	-	-	509		
Diarrhoea, Chronic .	9	2	11	-	-	-	9	2	11	-	-	-	14	7	21	-	-	169		
Dysentery	11	4	15	-	-	-	13	8	21	-	-	-	6	6	12	-	-	185		
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42		
Enteritis	-	5	5	-	1	1	4	12	16	-	-	-	3	11	14	1	-	125		
Constipation	2	5	7	-	-	-	3	8	11	-	-	-	7	6	13	-	-	116		
Helmintiasis	6	7	13	-	-	-	8	4	12	-	-	-	22	10	32	-	-	237		
Jaundice	8	1	9	-	-	-	10	2	12	-	-	-	13	4	17	-	-	92		
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5		
Anasarca	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9		
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	-	-	3		
Incontinence of																				
Urine	1	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	16		
Phthisis	9	3	12	-	-	-	5	7	12	-	-	-	7	7	14	-	-	113		
Rheumatism	3	1	4	-	-	-	5	3	8	-	-	-	6	4	10	-	-	104		
Rheumatism, Chronic	2	-	2	-	-	-	2	2	4	-	-	-	7	2	9	-	-	43		
Erysipelas	-	-	-	-	-	-	3	1	4	-	-	-	5	1	6	-	-	25		
Ephemeral Fever . .	1	2	3	-	-	-	8	8	16	-	-	-	4	8	12	-	-	119		
Intermittent Fever .	13	6	19	-	-	-	11	5	16	-	-	-	12	4	16	-	-	141		
Intermittent with																				
Diarrhoea	3	-	3	-	-	-	1	-	1	-	-	-	2	-	2	-	-	47		
Remittent Fever . . .	9	3	12	-	-	-	9	5	14	-	-	-	9	5	14	-	-	188		
Typhoid Fever	11	3	14	-	-	-	12	4	16	-	-	-	9	10	19	-	-	118		
Cerebro-spinal Men- ingitis	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12		
Total	206	128	334	2	5	7	286	196	482	1	1	2	442	294	736	2	-	5,473		

OCTOBER.				NOVEMBER.				DECEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
52°	.650	N. E. g.	S. W. h.	32½°	.800	N. W. h.	N. W. g	19°	.430	N. W. g.	S. W. g

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS UNCLASSIFIED AS TO SEX, UNDER FIVE (5) YEARS OF AGE, FOR THE YEAR 1872.

1872.		JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.				
		Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Total
Abcess		6	1	5	1	7	1	8	1	1	1	1	1	3	1	4	1	1	1	1	1	2	1	1	1	85		
Furuncle		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	14		
Inflammation of Mammary Gland		4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Ulcer of Leg		4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13		
Frost-bite		10	1	6	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	31		
Contusion		4	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27		
Incised Wound		4	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	33		
Fracture of Ulna		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27		
Pericarditis		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25		
Synovitis		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19		
Atrophy		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25		
Anemia		1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19		
Debility		10	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Insanation		2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Malaise		2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Hysteria		1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Cephalalgia		2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Hydrocephalus		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Ostealgia		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Otitis		5	1	12	1	11	6	12	2	7	4	11	1	13	1	19	4	6	3	5	1	2	1	1	1	84		
Ophthalmia		17	1	17	1	17	7	11	1	11	3	11	4	1	1	1	1	4	2	1	1	1	1	1	1	87		
Strabismus		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19		
Stomatitis		14	1	16	1	10	1	12	1	6	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	138		
Parotiditis		24	1	38	1	13	1	12	1	6	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	91		
Angina		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27		
Gastritis		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	38		
Gastroalgia		1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	35		
Colic		16	1	14	1	19	1	1	1	4	1	1	1	5	1	6	1	9	1	11	1	27	1	1	150			
Peritonitis		4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24		
Hematuria		1	1	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16		
Urethritis		1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29		
Orethritis		3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17		
Total		186	1	200	1	132	2	83	1	50	1	49	2	49	1	54	1	58	1	50	1	171	1	138	1	1,229	10	

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, UNDER FIVE (5) YEARS OF AGE, FOR THE YEAR 1872. — *Continued.*

1872.	List of Diseases.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		Total Patients.	Total Deaths.
		Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.		
	Vaginitis	12	—	8	—	7	—	1	—	—	—	8	—	14	—	16	—	1	—	2	—	9	—	19	—	65	—
	Vaginal Hemorrhage	2	—	2	—	4	—	3	—	—	—	1	—	4	—	3	—	12	—	1	—	1	—	8	—	55	—
	Encephaloid Tumor	8	—	6	—	—	—	—	—	—	—	—	—	2	—	2	—	8	—	—	—	4	—	5	—	23	—
	Adenitis	15	—	14	—	6	—	11	—	—	—	6	—	4	—	3	—	—	—	4	—	13	—	17	—	77	—
	Scrofula	89	—	24	—	18	—	11	—	4	—	6	—	4	—	1	—	6	—	—	—	2	—	3	—	150	—
	Potts' Disease	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—	
	Morbus Coxarius	6	—	9	—	1	—	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	36	—	
	Tuberc Mesenterica	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	
	Marasmus	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	—	
	Sclatice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	
	Cellulitis	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—	
	Rubeola	20	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	105	—	
	Varicella	21	—	19	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	102	—	
	Roseola	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	—	
	Scarlatina	17	—	28	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40	—	
	Syphilis	11	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—	
	Syphilis, Secondary	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	
	Syphilitic Eruption	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	—	
	Erythema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—	
	Eczema	19	—	28	—	21	—	6	—	8	—	10	—	4	—	—	—	—	—	—	—	—	—	—	16	—	
	Herpes	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	
	Impetigo	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—	
	Urticaria	6	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	
	Prurigo	2	—	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	
	Tinea Capitis	6	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	
	Porrigi	6	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41	—	
	Psoriasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	—	
	Total	212	1	292	2	118	2	62	1	36	2	46	—	25	1	24	—	42	1	80	—	141	—	223	—	1,203	7
	Brought forward from page 225	186	1	200	—	132	—	83	—	50	1	49	—	49	—	54	—	53	1	59	—	171	—	238	—	1,329	10
	Male Patients, Classified	3,175																								58	
	Female Patients, Classified	2,298																								60	
	Patients, Unclassified by Sexes	2,532																								17	
	Total Patients	8,005																								135	
	Deaths of Male Patients	58																								58	
	Deaths of Female Patients	60																								60	
	Deaths of Unclassified Patients	17																								17	
	Total Deaths	135																								135	

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FIVE TO
TEN YEARS, FOR THE YEAR 1872.

LIST OF DISEASES.	1872.			JANUARY.			FEBRUARY.			MARCH.								
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.	
Epilepsy . . .	-	2	2	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-
Convulsion . . .	5	7	12	-	-	-	3	2	5	-	-	-	-	1	2	2	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis . . .	4	2	6	-	-	-	4	3	7	-	-	-	-	3	1	4	1	1
Paralysis . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Paralysis, Partial . . .	2	-	2	-	-	-	-	1	1	-	-	-	-	2	1	3	-	-
Hemiplegia . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	1	1	2	-	-
Spinal Disease . . .	1	1	2	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Neuralgia . . .	2	2	4	-	-	-	-	-	-	-	-	-	-	5	4	9	-	-
Conjunctivitis . . .	7	1	8	-	-	-	7	2	9	-	-	-	-	2	1	3	-	-
Granular Lids . . .	5	1	6	-	-	-	4	1	5	-	-	-	-	2	1	3	-	-
Keratitis . . .	2	2	4	-	-	-	1	3	4	-	-	-	-	1	3	4	-	-
Catarrh . . .	32	13	45	-	-	-	24	16	40	-	-	-	-	17	8	25	-	-
Epistaxis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tonsillitis . . .	4	8	12	-	-	-	4	9	13	-	-	-	-	4	5	9	-	-
Pharyngitis . . .	4	2	6	-	-	-	2	2	4	-	-	-	-	2	2	4	-	-
Diphtheria . . .	3	5	8	-	-	-	3	4	7	-	-	-	-	-	1	1	-	-
Laryngitis . . .	5	14	19	-	-	-	9	4	13	-	-	-	-	1	7	8	-	2
Bronchitis . . .	48	29	77	1	-	53	34	87	121	19	18	37	-	19	18	37	-	-
Bronchitis, Chronic . . .	7	2	9	-	-	-	9	3	12	-	-	-	-	4	1	5	-	-
Asthma . . .	2	1	3	-	-	-	4	1	5	-	-	-	-	2	2	4	-	-
Pertussis . . .	13	2	15	-	-	-	6	6	12	-	-	-	-	4	2	6	-	-
Pneumonia . . .	12	4	16	-	-	-	9	7	16	-	-	-	-	1	14	4	18	1
Pleuritis . . .	1	4	5	-	-	-	5	4	9	-	-	-	-	5	2	7	-	-
Heart Disease . . .	2	2	4	-	-	-	1	2	3	-	-	-	-	1	3	4	-	-
Dyspepsia . . .	3	9	12	-	-	-	6	7	13	-	-	-	-	3	1	4	-	-
Diarrhoea . . .	14	7	21	-	-	-	7	4	11	-	-	-	-	9	4	13	-	-
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	1	5	6	-	-	-	1	4	5	-	-	-	-	1	3	4	-	-
Dysentery . . .	7	12	19	-	-	-	13	4	17	-	-	-	-	7	4	11	-	-
Constipation . . .	7	11	18	-	-	-	4	7	11	-	-	-	-	6	5	11	-	-
Hæmorrhoids . . .	-	1	1	-	-	-	2	-	2	-	-	-	-	1	-	1	-	-
Helminthiasis . . .	17	5	22	-	-	-	14	11	25	-	-	-	-	14	7	21	-	-
Jaundice . . .	6	1	7	-	-	-	4	1	5	-	-	-	-	2	-	2	-	-
Bright's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	2	1	3	-	-
Cystitis . . .	-	2	2	-	-	-	-	2	2	-	-	-	-	-	1	1	-	-
Dysuria . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-
Incontinence of Urine . . .	3	-	3	-	-	-	3	2	5	-	-	-	-	-	1	1	-	-
Phthisis . . .	9	5	14	1	-	10	6	16	22	-	-	-	-	4	8	12	-	-
Rheumatism . . .	13	5	18	-	-	-	5	9	14	1	-	-	-	10	8	18	-	-
Rheumatism, Chronic . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas . . .	7	-	7	-	-	-	4	2	6	-	-	-	-	1	1	2	-	-
Ephemeral Fever . . .	21	10	31	-	-	-	19	17	36	-	-	-	-	6	14	20	-	-
Intermittent Fever . . .	29	12	41	-	-	-	14	7	21	-	-	-	-	9	7	16	-	-
Remittent Fever . . .	7	2	9	-	-	-	6	4	10	-	-	-	-	7	5	12	-	-
Typhoid Fever . . .	12	4	16	1	-	9	6	15	21	1	-	-	-	7	5	12	1	-
Cerebro-spinal Men- ingitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total . . .	320	203	523	3	1	275	207	482	682	2	1	183	147	330	2	4	-	-

JANUARY.			FEBRUARY.			MARCH.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
26°	.670	S. W. h. N. W. g	27°	.690	S. W. g. S. E. g.	29°	3.220	N. E. h. N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FIVE TO
TEN YEARS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.						APRIL.						MAY.						JUNE.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
Epilepsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsion . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, Partial .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal Disease . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis . . .	3	1	4	-	-	-	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Granular Lids . . .	1	1	2	-	-	-	3	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Keratitis . . .	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh . . .	3	3	6	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tonsillitis . . .	1	-	1	-	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pharyngitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria . . .	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Laryngitis . . .	1	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis . . .	9	4	13	1	-	-	11	7	18	-	-	-	-	-	-	4	3	7	-	-	-	-	-	-
Bronchitis, Chronic	3	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-
Pneumonia . . .	6	7	13	-	-	-	8	8	16	-	-	-	-	-	-	7	4	11	-	-	-	-	-	-
Pleuritis . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-
Heart Disease . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia . . .	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
Diarrhoea . . .	6	5	11	-	-	-	4	8	12	-	-	-	-	-	-	8	7	15	-	-	-	-	-	-
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery . . .	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Constipation . . .	2	9	11	-	-	-	9	4	13	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
Hæmorrhoids . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Helminthiasis . . .	3	1	4	-	-	-	1	-	1	-	-	-	-	-	-	5	1	6	-	-	-	-	-	-
Jaundice . . .	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-
Bright's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites . . .	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Incontinence of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urine . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Phthisis . . .	8	4	12	1	-	-	3	5	8	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
Rheumatism . . .	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism, Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Erysipelas . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Ephemeral Fever . . .	6	4	10	-	-	-	2	-	2	-	-	-	-	-	-	3	1	4	-	-	-	-	-	-
Intermittent Fever . . .	3	2	5	-	-	-	4	1	5	-	-	-	-	-	-	1	3	4	-	-	-	-	-	-
Remittent Fever . . .	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever . . .	5	6	11	1	1	-	-	-	-	-	-	-	-	-	-	7	5	12	1	-	-	-	-	-
Cerebro-spinal Men- ingitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Total . . .	73	58	131	3	1	4	59	40	99	-	-	-	57	34	91	1	-	-	-	-	-	-	-	-

APRIL.				MAY.				JUNE.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
48°	2.990	S. W. h.	N. E. h.	57½°	3.285	S. W. g.	S. E. h.	70½°	3.410	S. W. g.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FIVE TO
TEN YEARS, FOR THE YEAR 1872.— *Continued.*

LIST OF DISEASES.	1872.			JULY.			AUGUST.			SEPTEMBER.				
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.
Epilepsy	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Convulsion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Paralysis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, Partial	-	1	1	-	-	1	1	-	1	1	1	2	-	-
Hemiplegia	-	1	1	-	-	1	1	-	-	-	-	-	-	-
Spinal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Conjunctivitis	-	1	1	-	-	1	1	-	-	-	-	-	-	-
Granular Lids	1	1	2	-	-	1	1	2	1	1	2	-	-	-
Keratitis	-	1	1	-	-	1	1	2	-	-	1	1	-	-
Catarrh	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Epistaxis	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Tonsillitis	-	-	-	-	-	1	1	-	-	-	1	1	-	-
Pharyngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	1	1	-	-	-	1	1	-	-
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	4	1	5	-	-	3	3	6	-	9	4	13	-	-
Bronchitis, Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Pertussis	3	-	3	-	-	3	3	6	-	3	1	4	-	-
Pneumonia	6	5	11	-	-	6	8	14	-	8	7	15	-	-
Pleuritis	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	2	1	3	-	-	1	1	2	-	1	-	1	-	-
Dyspepsia	-	-	-	-	-	1	1	2	-	1	-	1	-	-
Diarrhoea	9	7	16	-	-	6	6	12	-	10	8	18	-	-
Cholera Morbus	3	1	4	-	-	2	1	3	-	-	-	-	-	-
Enteritis	-	2	2	-	-	1	1	1	-	-	-	-	-	-
Dysentery	-	1	1	-	-	1	1	1	-	2	-	2	-	-
Constipation	3	6	9	-	-	2	4	6	-	1	1	2	-	-
Hæmorrhoids	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Helminthiasis	4	2	6	-	-	3	5	8	-	1	3	4	-	-
Jaundice	-	-	-	-	-	-	-	-	-	4	2	6	-	-
Bright's Disease	2	-	2	-	-	1	-	1	-	-	-	-	-	-
Ascites	-	-	-	-	-	1	-	1	-	-	1	1	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Incontinence of Urine	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Phthisis	-	-	-	-	-	2	-	2	-	1	1	2	-	1
Rheumatism	-	-	-	-	-	1	-	1	-	1	-	1	-	-
Rheumatism, Chronic	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Erysipelas	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ephemeral Fever	-	-	-	-	-	-	-	-	-	4	2	6	-	-
Intermittent Fever	-	-	-	-	-	3	-	3	-	3	2	5	-	-
Remittent Fever	2	-	2	-	-	-	-	-	-	4	2	6	-	-
Typhoid Fever	2	-	2	-	-	11	5	16	-	8	3	11	1	-
Cerebro-spinal Men- ingitis	1	1	2	1	-	1	-	1	-	-	1	1	-	1
Total	45	37	82	1	-	53	47	100	-	64	43	107	1	2

JULY.			AUGUST.			SEPTEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
72½°	4.050	S. W. h. N. W. g.	72°	2.560	N. W. g. S. W. g.	64°	6.430	S. W. g. S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FIVE TO
TEN YEARS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.			OCTOBER.				NOVEMBER.				DECEMBER.				Total Patients.	Total Deaths.
	Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.			
	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.					
Epilepsy	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6	—	
Convulsion	—	2	—	—	—	1	1	2	—	—	—	1	1	—	25	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
Meningitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	22	—	
Paralysis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	4	—	
Paralysis, Partial	1	1	2	—	—	—	1	1	—	—	—	—	—	—	16	—	
Hemiplegia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	
Spinal Disease	—	—	—	—	—	—	—	—	—	—	1	1	—	—	7	—	
Neuralgia	—	—	—	—	—	—	—	—	—	—	2	2	—	—	15	—	
Conjunctivitis	—	—	—	—	—	—	—	—	—	—	1	1	—	—	47	—	
Granular Lids	—	1	1	—	—	1	1	2	—	—	1	1	—	—	32	—	
Keratitis	1	1	2	—	—	—	—	—	—	—	1	1	2	—	25	—	
Catarrh	1	—	1	—	—	9	2	11	—	—	16	4	20	—	153	—	
Epistaxis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
Tonsillitis	—	—	—	—	—	2	1	3	—	—	1	1	2	—	47	—	
Pharyngitis	1	1	—	—	—	—	—	—	—	—	2	2	—	—	23	—	
Diphtheria	—	—	—	—	—	3	1	1	—	—	2	2	—	—	22	—	
Laryngitis	—	2	3	5	—	3	7	10	—	—	7	9	14	—	74	3	
Bronchitis	6	2	8	—	—	24	19	43	—	—	47	27	74	—	388	1	
Bronchitis, Chronic	1	—	1	—	—	3	—	3	—	—	7	2	9	—	43	—	
Asthma	—	2	—	2	—	2	1	3	—	—	1	—	1	—	16	—	
Pertussis	—	3	—	3	—	3	1	4	—	—	7	2	9	—	65	—	
Pneumonia	9	4	13	—	—	7	5	12	—	—	7	5	12	—	167	4	
Pleuritis	—	—	—	—	—	—	—	—	—	—	1	—	1	—	28	—	
Heart Disease	—	—	—	—	—	1	—	1	—	—	1	1	—	—	21	—	
Dyspepsia	1	1	2	—	—	—	—	—	—	—	—	—	—	—	40	—	
Diarrhoea	7	6	13	—	—	8	4	12	—	—	6	8	14	—	168	—	
Cholera Morbus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	—	
Dysentery	1	1	2	—	—	7	5	12	—	—	8	4	12	—	80	—	
Constipation	—	3	—	—	—	6	5	11	—	—	6	5	11	—	110	—	
Hæmorrhoids	—	—	—	—	—	—	2	—	—	—	—	—	—	—	9	—	
Helminthiasis	1	7	8	—	—	5	4	9	—	—	4	3	7	—	121	—	
Jaundice	3	2	5	—	—	8	1	9	—	—	5	1	6	—	46	—	
Bright's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	
Ascites	1	1	2	—	—	—	—	—	—	—	2	—	2	—	13	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	1	1	—	—	6	—	
Dysuria	—	1	1	—	—	—	—	—	—	—	1	1	—	—	8	—	
Incontinence of Urine	1	—	1	—	—	1	—	1	—	—	2	—	2	—	17	—	
Phthisis	—	—	—	—	—	8	6	14	1	—	11	6	17	1	95	5	
Rheumatism	3	1	4	—	—	9	7	16	—	—	13	6	19	—	95	1	
Rheumatism, Chronic	1	—	1	—	—	2	—	2	—	—	2	1	3	—	12	—	
Erysipelas	—	—	—	—	—	2	1	3	—	—	—	—	5	—	25	—	
Ephemeral Fever	—	—	—	—	—	5	7	12	—	—	6	10	19	—	140	—	
Intermittent Fever	4	—	6	—	—	11	6	17	—	—	16	10	26	—	149	—	
Remittent Fever	9	4	13	—	—	9	8	17	—	—	10	6	16	—	88	—	
Typhoid Fever	7	3	10	—	—	9	3	12	—	—	10	4	14	—	151	8	
Cerebro-spinal Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2	
Total	70	49	119	—	—	148	99	247	1	—	206	127	333	1	1	2,644	26

OCTOBER.			NOVEMBER.			DECEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
52°	.650	N. E. g. S. W. h.	32½°	.800	N. W. h. N. W. g.	19°	.430	N. W. g. S. W. g.

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY

OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF FIVE TO TEN YEARS, FOR THE YEAR 1872.

1872.	List of Diseases.	1872.												Total Patients.
		JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	
		Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	
	Abscess	3	5	2	1	6	4	5	1	8	1	4	3	36
	Furuncle	4	2	1	2	1	1	1	2	1	1	4	6	20
	Ulcer	10	6	4	2	1	1	1	2	1	1	4	1	32
	Frost-bite	15	10	1	2	1	1	1	1	1	1	4	19	48
	Contusion	4	2	1	1	1	1	1	1	1	1	1	2	12
	Inclosed wound	4	12	4	1	1	1	1	2	1	1	3	1	28
	Fracture of Clavicle	4	5	2	1	1	1	1	1	1	1	1	1	13
	Fracture of Radius	4	2	2	1	1	1	1	1	1	1	1	1	13
	Fracture of Tibia	1	2	1	1	1	1	1	1	1	1	1	1	11
	Necrosis	5	2	1	1	1	1	1	1	1	1	1	1	13
	Synovitis	1	2	1	1	1	1	1	2	1	1	1	1	6
	Hernia	2	3	2	1	1	2	1	1	1	1	2	1	21
	Hernia Inguinal	1	6	3	1	1	1	1	1	1	1	1	1	9
	Atrophy	1	2	1	1	1	1	1	1	1	1	1	1	8
	Anemia	1	2	1	1	1	1	1	1	1	1	1	1	10
	Delirium	11	14	12	3	3	2	1	1	2	1	1	1	67
	Insanition	1	2	1	1	1	2	1	1	1	1	1	1	13
	Malaise	2	3	2	1	1	2	1	1	1	1	1	1	13
	Cephalalgia	3	6	2	2	1	1	1	1	1	1	1	1	18
	Hydrocephalus	6	6	2	2	1	1	1	1	1	1	1	1	22
	Osteomalacia	17	20	17	2	2	3	1	1	2	12	11	12	90
	Ostealgia	4	2	1	5	2	1	1	1	1	1	4	4	15
	Otitis	2	1	4	1	2	1	1	1	1	1	1	2	20
	Stomatitis	2	2	1	2	2	1	1	1	1	1	1	1	10
	Parotiditis	6	6	4	1	1	1	1	1	1	6	3	3	46
	Gastritis	2	1	1	1	1	1	1	1	1	2	1	1	17
	Gastralgia	2	2	1	1	1	1	1	1	1	1	1	1	12
	Colic	5	4	2	1	1	1	1	1	1	1	4	6	24
	Total	120	121	65	29	22	20	17	15	17	31	82	106	648

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY

OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF FIVE TO TEN YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		Total Patients.	Total Deaths.
	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.		
Vaginitis	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	42	—
Tumor of Neck	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Adenitis	12	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51	—
Scrofula	10	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49	—
Morbus Coxarius	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30	—
Lumbago	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—
Coxalgia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	—
Tuberc Mesenterica	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
Rubeola	0	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	43	—
Variella	0	—	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	45	—
Scarlatina	15	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40	—
Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—
Syphilis Secondary	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—
Syphilis Tertiary	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—
Erythema	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	—
Eczema	15	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	—
Crustacea Lactea	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—
Herpes	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	—
Pemphigus	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—
Impetigo	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	—
Scabies	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	—
Urticaria	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Tinea Capitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—
Pytriasis	4	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	—
Psoriasis	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	—
Peduncul Capitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—
Total	112	—	105	2	73	1	35	—	18	—	22	—	13	—	21	—	23	—	30	1	53	—	73	1	578	5

Male Patients classified 1,553

Female Patients classified 1,701

Patients unclassified by Sexes 1,295

Total Patients 3,570

Deaths of Male Patients 15

Deaths of Female Patients 11

Deaths of unclassified Patients 5

Total Deaths 31

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TEN TO
TWENTY YEARS, FOR THE YEAR 1872.

LIST OF DISEASES.	1872.			JANUARY.						FEBRUARY.						MARCH.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.					
	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.			
Epilepsy	4	3	7	-	-	-	2	4	6	-	-	-	3	5	8	-	-	-			
Convulsions	10	11	21	-	-	-	10	9	19	-	-	-	10	5	15	-	-	-			
Chorea	3	3	6	-	-	-	1	4	5	-	-	-	-	-	-	-	-	-			
Congestion of Brain	2	-	2	-	-	-	1	4	5	-	-	-	-	-	-	-	-	-			
Meningitis	7	3	10	-	-	-	6	4	10	-	1	-	4	1	5	-	-	1			
Paralysis	2	1	3	-	-	-	4	-	4	-	-	-	1	1	2	-	-	-			
Paralysis, Partial	9	7	16	-	-	-	6	4	10	-	-	-	2	4	6	-	-	-			
Hemiplegia	1	1	2	-	-	-	2	2	4	-	-	-	1	1	2	-	-	-			
Spinal Disease	4	1	5	-	-	-	2	4	6	-	-	-	1	1	2	-	-	-			
Neuralgia	7	14	21	-	-	-	1	9	10	-	-	-	1	3	4	-	-	-			
Conjunctivitis	16	11	27	-	-	-	13	8	21	-	-	-	8	1	9	-	-	-			
Granular Lids	17	12	29	-	-	-	19	7	17	-	-	-	8	1	9	-	-	-			
Keratitis	2	3	5	-	-	-	5	6	11	-	-	-	3	3	6	-	-	-			
Coryza	-	1	1	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-			
Catarrh	48	33	81	-	-	-	35	32	67	-	-	-	5	8	13	-	-	-			
Epistaxis	2	2	4	-	-	-	2	1	3	-	-	-	-	2	2	-	-	-			
Tonsillitis	21	24	45	-	-	-	16	25	41	-	-	-	4	15	19	-	-	-			
Pharyngitis	19	13	32	-	-	-	13	11	24	-	-	-	10	4	14	-	-	-			
Diphtheria	-	2	2	-	-	-	-	3	3	-	-	-	-	2	2	-	-	-			
Laryngitis	2	7	9	-	-	-	1	8	9	-	-	-	-	2	7	-	-	-			
Bronchitis	104	79	183	-	-	-	80	66	146	-	-	-	79	52	122	-	-	-			
Bronchitis, Chronic	12	4	16	-	-	-	7	4	11	-	-	-	5	4	9	-	-	-			
Bronchitis with Diarrhoea	7	2	9	-	-	-	4	-	4	-	-	-	2	-	2	-	-	-			
Asthma	6	1	7	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-			
Pertussis	19	6	25	-	-	-	12	6	18	-	-	-	5	2	7	-	-	-			
Congestion of Lungs	3	1	4	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-			
Pneumonia	24	11	35	1	-	-	8	11	19	-	-	-	3	9	12	1	1	-			
Pleuritis	7	9	16	-	-	-	8	9	17	-	-	-	2	6	8	-	-	-			
Heart Disease	4	10	14	-	-	-	4	9	13	-	-	-	2	4	6	-	-	-			
Dyspepsia	9	23	32	-	-	-	12	23	35	-	-	-	5	17	22	-	-	-			
Ulcer of Stomach	1	1	2	-	-	-	3	1	4	-	-	-	2	1	3	-	-	-			
Diarrhoea	19	6	25	-	-	-	13	9	22	-	-	-	8	4	12	-	-	-			
Cholera Morbus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Enteritis	2	4	6	-	-	-	3	7	10	-	-	-	1	3	4	-	-	-			
Dysentery	2	-	2	-	-	-	1	-	1	-	-	-	4	2	6	-	-	-			
Constipation	3	9	12	-	-	-	3	6	9	-	-	-	1	6	7	-	-	-			
Hæmorrhoids	2	4	6	-	-	-	4	1	5	-	-	-	1	1	2	-	-	-			
Helminthiasis	15	6	21	-	-	-	10	9	19	-	-	-	4	4	8	-	-	-			
Hepatitis	-	2	2	-	-	-	-	-	2	-	-	-	1	1	2	-	-	-			
Congestion of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Jaundice	3	-	3	-	-	-	4	-	4	-	-	-	5	-	5	-	-	-			
Nephritis	-	2	2	-	-	-	-	3	3	-	-	-	1	1	2	-	-	-			
Bright's Disease	2	-	2	-	-	-	1	-	1	-	-	-	2	-	2	-	-	-			
Ascites	-	2	2	-	-	-	-	4	4	-	-	-	-	1	1	-	-	-			
Cystitis	2	5	7	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-			
Dysuria	-	2	2	-	-	-	-	1	1	-	-	-	-	3	3	-	-	-			
Incontinence of Urine	4	2	6	-	-	-	7	2	9	-	-	-	2	-	2	1	-	-			
Phthisis	9	12	21	-	-	-	4	8	12	-	-	-	5	4	9	-	-	-			
Rheumatism	25	24	49	-	-	-	22	18	40	-	-	-	19	11	30	-	-	-			
Rheumatism, Chronic	2	1	3	-	-	-	3	2	5	-	-	-	2	-	2	-	-	-			
Erysipelas	7	2	9	-	-	-	5	1	6	-	-	-	4	1	5	-	-	-			
Ephemeral Fever	19	15	34	-	-	-	9	8	17	-	-	-	9	8	17	-	-	-			
Intermittent Fever	30	32	62	-	-	-	52	30	82	-	-	-	17	17	34	-	-	-			
Remittent Fever	13	10	23	-	-	-	11	6	17	-	-	-	4	11	15	-	-	-			
Typhoid Fever	8	2	10	2	-	-	13	6	19	-	-	-	7	3	10	1	1	-			
Cerebro-spinal Men- ingitis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-			
Total	539	441	980	3	-	-	441	392	833	-	1	263	235	498	3	4					

JANUARY.			FEBRUARY.			MARCH.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
27°	.670	S. W. h. N. W. g.	27°	.690	S. W. g. S. E. g.	29°	3.220	N. E. h. N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TEN TO
TWENTY YEARS, FOR THE YEAR 1872.— *Continued.*

1872.	APRIL.						MAY.						JUNE.					
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.	Total.
Epilepsy . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Convulsions . . .	-	-	-	-	-	-	3	2	5	-	-	-	1	2	3	-	-	-
Chorea . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Congestion of Brain . . .	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis . . .	2	2	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Paralysis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, Partial . . .	1	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Hemiplegia . . .	-	1	1	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-
Spinal Disease . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia . . .	1	6	7	-	-	-	3	3	6	-	-	-	-	-	-	-	-	-
Conjunctivitis . . .	10	4	14	-	-	-	1	1	2	-	-	-	5	2	7	-	-	-
Granular Lids . . .	2	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Keratitis . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-
Coryza . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh . . .	2	4	6	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Epistaxis . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Tonsillitis . . .	3	1	4	-	-	-	2	2	4	-	-	-	1	3	4	-	-	-
Pharyngitis . . .	3	8	11	-	-	-	1	1	2	-	-	-	2	3	5	-	-	-
Diphtheria . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Laryngitis . . .	1	2	3	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
Bronchitis . . .	32	25	57	-	-	-	7	2	9	-	-	-	4	5	9	-	-	-
Bronchitis, Chronic . . .	2	-	2	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Bronchitis with . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Asthma . . .	1	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Pertussis . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Congestion of Lungs . . .	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Pneumonia . . .	1	5	6	-	-	-	1	2	3	-	-	-	1	3	4	-	-	-
Pleuritis . . .	-	2	2	-	-	-	1	1	2	-	-	-	-	1	2	-	-	-
Heart Disease . . .	2	3	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dyspepsia . . .	4	3	7	-	-	-	-	2	2	-	-	-	1	2	3	-	-	-
Ulcer of Stomach . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea . . .	3	2	5	-	-	-	-	1	1	-	-	-	2	6	8	-	1	-
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
Enteritis . . .	-	2	2	-	-	-	-	1	1	-	-	-	-	3	3	-	-	-
Dysentery . . .	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Constipation . . .	1	3	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Hemorrhoids . . .	-	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Helminthiasis . . .	3	2	5	-	-	-	-	2	2	-	-	-	1	-	1	-	-	-
Hepatitis . . .	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congestion of Liver . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	-	1	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-
Bright's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urine . . .	1	1	2	-	-	-	2	-	2	-	-	-	-	1	1	-	-	-
Pituitis . . .	4	2	6	-	-	-	-	3	4	-	2	-	4	4	8	-	-	-
Rheumatism . . .	5	5	10	-	-	-	5	3	8	-	-	-	3	1	4	-	-	-
Rheumatism, Chronic . . .	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas . . .	3	1	4	-	-	-	2	-	2	-	-	-	2	-	2	-	-	-
Ephemeral Fever . . .	3	1	4	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-
Intermittent Fever . . .	14	7	21	-	-	-	5	2	7	-	-	-	3	-	3	-	-	-
Remittent Fever . . .	2	-	2	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-
Typhoid Fever . . .	2	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cerebro-spinal Men- ingitis . . .	1	-	1	-	-	-	1	-	1	-	-	-	2	-	2	-	-	-
Total . . .	115	110	225	2	-	-	39	39	78	2	-	-	42	51	93	1	1	-

APRIL.			MAY.			JUNE.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
48°	2.990	S. W. h N. E. h.	57½°	3.285	S. W. g S. E. h.	70½°	3.410	S. W. g N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TEN TO
TWENTY YEARS, FOR THE YEAR 1872. — *Continued.*

List of Diseases.	1872.			JULY.			AUGUST.			SEPTEMBER.		
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Sexes.		Total.
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.	
Epilepsy . . .	2	-	2	-	-	-	-	-	-	-	-	-
Convulsions . . .	-	2	2	-	-	3	-	3	-	-	2	2
Chorea . . .	-	1	1	-	-	-	-	-	-	-	-	-
Congestion of Brain . . .	1	1	2	-	-	2	-	2	-	1	-	1
Meningitis . . .	-	-	-	-	-	1	-	1	-	-	-	-
Paralysis . . .	2	1	3	-	-	-	-	-	-	2	-	2
Paralysis, Partial . . .	-	1	1	-	-	1	-	1	-	1	1	2
Hemiplegia . . .	-	1	1	-	-	1	-	1	-	1	1	2
Spinal Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia . . .	2	2	4	-	-	-	-	-	-	3	3	6
Conjunctivitis . . .	-	-	-	-	-	4	-	4	-	1	1	2
Granular Lids . . .	1	1	2	-	-	-	-	-	-	-	-	-
Keratitis . . .	-	-	-	-	-	-	-	-	-	-	-	-
Coryza . . .	1	1	2	-	-	1	-	1	-	-	-	-
Catarrh . . .	-	-	-	-	-	1	-	1	-	-	-	-
Epistaxis . . .	1	-	1	-	-	2	-	2	-	2	2	4
Tonsillitis . . .	-	-	-	-	-	3	-	3	-	-	-	-
Pharyngitis . . .	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria . . .	1	-	1	-	-	-	-	-	-	-	-	-
Laryngitis . . .	4	2	6	-	-	3	-	3	-	2	5	7
Bronchitis . . .	-	1	1	-	-	-	-	-	-	-	-	-
Bronchitis, Chronic . . .	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis with Diarrhoea . . .	-	1	1	-	-	1	-	1	-	1	1	2
Asthma . . .	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis . . .	-	-	-	-	-	-	-	-	-	-	-	-
Congestion of Lungs . . .	-	2	2	-	-	-	-	-	-	1	2	3
Pneumonia . . .	1	1	2	-	-	3	-	3	-	1	2	3
Pleuritis . . .	-	1	1	-	-	-	-	-	-	-	-	-
Heart Disease . . .	2	5	7	-	-	2	-	2	-	4	4	8
Dyspepsia . . .	-	2	2	-	-	-	-	-	-	1	1	2
Ulcer of Stomach . . .	3	4	7	-	-	3	-	3	-	3	2	5
Diarrhoea . . .	-	2	2	-	-	5	-	5	-	4	4	8
Cholera Morbus . . .	-	2	2	-	-	2	-	2	-	3	3	6
Enteritis . . .	1	3	4	-	-	5	-	5	-	6	4	10
Dysentery . . .	-	1	1	-	-	1	-	1	-	-	-	-
Constipation . . .	-	-	-	-	-	2	-	2	-	-	-	-
Hæmorrhoids . . .	-	2	2	-	-	5	-	5	-	5	1	6
Helminthiasis . . .	-	1	1	-	-	2	-	2	-	-	-	-
Hepatitis . . .	-	-	-	-	-	-	-	-	-	-	-	-
Congestion of Liver . . .	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice . . .	-	1	1	-	-	1	-	1	-	-	-	-
Nephritis . . .	1	-	1	-	-	-	-	-	-	-	-	-
Bright's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-
Ascites . . .	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria . . .	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of Urine . . .	2	1	3	-	-	1	-	1	-	-	-	-
Phthisis . . .	6	1	7	-	-	3	-	3	-	3	1	4
Rheumatism . . .	-	-	-	-	-	1	-	1	-	-	-	-
Rheumatism, Chronic . . .	-	-	-	-	-	1	-	1	-	-	-	-
Erysipelas . . .	1	-	1	-	-	-	-	-	-	-	-	-
Ephemeral Fever . . .	5	1	6	-	-	9	-	9	-	23	25	48
Intermittent Fever . . .	5	-	5	-	-	4	-	4	-	4	4	8
Remittent Fever . . .	2	-	2	-	-	6	-	6	-	2	2	4
Typhoid Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Meningitis . . .	-	-	-	-	-	2	-	2	-	-	-	-
Total . . .	56	55	111	-	1	87	32	119	1	72	76	148

JULY.			AUGUST.			SEPTEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
72½°	4.050	S W. h. N. W g	72°	2.560	N. W. g. S. W. g	64°	6.430	S. W. g. S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TEN TO
TWENTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	OCTOBER.						NOVEMBER.						DECEMBER.						Total Patients.	Total Deaths.
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.				
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.		
Epilepsy	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	24	-
Convulsions	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	75	-
Chorea	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	26	-
Congestion of Brain	2	2	4	2	2	4	1	1	2	3	3	6	1	1	2	1	1	2	15	1
Meningitis	1	1	2	1	1	2	2	2	4	2	2	4	1	1	2	1	1	2	37	3
Paralysis	2	2	4	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	14	-
Paralysis, Partial	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	41	-
Hemiplegia	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	17	-
Spinal Disease	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	18	-
Neuralgia	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	51	-
Conjunctivitis	3	3	6	3	3	6	8	8	16	3	3	6	5	5	10	2	2	4	109	-
Granular Lids	1	1	2	1	1	2	2	2	4	2	2	4	1	1	2	1	1	2	70	-
Keratitis	3	3	6	3	3	6	3	3	6	2	2	4	2	2	4	1	1	2	38	-
Coryza	2	2	4	2	2	4	2	2	4	1	1	2	1	1	2	1	1	2	7	-
Catarrh	1	1	2	1	1	2	2	2	4	1	1	2	7	7	14	6	6	12	188	-
Epistaxis	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	12	-
Tonsillitis	5	5	10	5	5	10	1	1	2	3	3	6	3	3	6	7	7	14	147	-
Pharyngitis	7	7	14	7	7	14	8	8	16	6	6	12	13	13	26	6	6	12	140	-
Diphtheria	1	1	2	1	1	2	2	2	4	1	1	2	1	1	2	4	4	8	19	-
Laryngitis	1	1	2	1	1	2	3	3	6	9	9	18	3	3	6	9	9	18	52	-
Bronchitis	10	2	12	16	13	29	16	13	29	2	2	4	43	17	60	5	5	10	643	-
Bronchitis, Chronic	1	1	2	1	1	2	1	1	2	3	3	6	9	9	18	14	14	28	59	-
Bronchitis with	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	11	11	22	-	-
Diarrhoea	1	1	2	1	1	2	1	1	2	1	1	2	9	9	18	3	3	6	33	-
Asthma	1	1	2	1	1	2	1	1	2	1	1	2	9	9	18	12	12	24	29	-
Pertussis	1	1	2	1	1	2	2	2	4	5	5	10	9	9	18	13	13	26	69	-
Congestion of Lungs	1	1	2	1	1	2	2	2	4	5	5	10	3	3	6	4	4	8	23	-
Pneumonia	4	2	6	4	2	6	1	4	5	5	10	12	8	8	20	1	1	2	114	4
Pleuritis	1	1	2	1	1	2	1	1	2	1	1	2	10	6	16	16	16	32	73	-
Heart Disease	1	1	2	1	1	2	1	1	2	1	1	2	3	3	6	12	12	24	54	-
Dyspepsia	1	1	2	1	1	2	1	1	2	3	3	6	5	5	10	15	15	30	139	-
Ulcer of Stomach	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	14	-
Diarrhoea	4	3	7	4	3	7	1	1	2	1	1	2	12	6	18	18	18	36	145	1
Cholera Morbus	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	21	-
Enteritis	1	1	2	3	3	6	1	1	2	1	1	2	3	3	6	1	1	2	41	1
Dysentery	2	2	4	1	1	2	1	1	2	1	1	2	2	2	4	2	2	4	39	1
Constipation	1	1	2	1	1	2	1	1	2	1	1	2	3	3	6	12	12	24	52	-
Hæmorrhoids	1	1	2	1	1	2	1	1	2	4	4	8	5	5	10	5	5	10	39	-
Helminthiasis	1	1	2	5	5	10	2	2	4	1	1	2	9	6	15	15	15	30	93	-
Hepatitis	1	1	2	1	1	2	1	1	2	2	2	4	1	1	2	1	1	2	16	-
Congestion of Liver	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	-
Jaundice	1	1	2	1	1	2	2	2	4	1	1	2	1	1	2	1	1	2	16	-
Nephritis	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	14	-
Bright's Disease	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	6	1
Ascites	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	6	-
Cystitis	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	15	-
Dysuria	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	6	-
Incontinence of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urine	2	2	4	2	2	4	2	2	4	1	1	2	2	2	4	4	4	8	32	-
Phthisis	4	1	5	3	3	6	3	3	6	1	1	2	14	4	18	1	1	2	97	5
Rheumatism	5	2	7	2	2	4	2	2	4	5	5	10	17	13	30	3	3	6	198	-
Rheumatism Chronic	1	1	2	1	1	2	1	1	2	1	1	2	3	3	6	6	6	12	20	-
Erysipelas	1	1	2	1	1	2	1	1	2	1	1	2	3	3	6	5	5	10	35	-
Ephemeral Fever	2	2	4	2	2	4	2	2	4	2	2	4	12	9	21	21	21	42	102	-
Intermittent Fever	18	7	25	9	3	12	9	3	12	1	1	2	26	25	51	51	51	102	361	-
Remittent Fever	5	5	10	3	3	6	2	2	4	1	1	2	10	8	18	18	18	36	105	-
Typhoid Fever	2	2	4	2	2	4	3	3	6	5	5	10	5	4	9	9	9	18	78	10
Cerebro-spinal Men- ingitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Total	98	58	156	2	-	-	91	77	168	2	1	266	211	477	1	1	3,886	27	-	

OCTOBER.			NOVEMBER.			DECEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
52°	.650	N E. g. S. W. h.	32½°	.800	N. W. h. N. W. g.	19°	.430	N. W. g. S. W. g.

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF TEN
TO TWENTY YEARS, FOR THE YEAR 1872.

1872.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
LIST OF DISEASES.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Total Patients.
Abcess . . .	14	6	2	-	4	3	1	3	4	3	5	6	51
Furuncle . . .	4	5	3	-	-	-	12	-	-	-	-	-	14
Ulcer . . .	29	18	6	-	-	5	7	3	12	1	1	13	85
Ulcer of Leg . .	5	6	4	2	-	1	-	12	-	1	1	4	26
Frost-bite . . .	25	16	1	-	-	-	-	-	-	-	16	18	76
Contusion or													
Contused wound	15	15	5	-	3	-	12	12	-	1	1	7	51
Incised wound . .	8	11	8	4	1	4	6	1	12	1	1	3	50
Paronychia . . .	3	2	4	2	1	2	1	12	12	12	-	3	22
Varix . . .	1	2	1	-	1	-	1	-	1	-	1	1	10
Fracture of Clavicle . .	5	6	1	-	-	-	-	-	-	2	-	-	14
Fracture of Radius . .	-	-	-	-	-	-	1	1	-	-	-	-	2
Dislocation of													
Shoulder . . .	2	2	2	1	-	-	-	-	-	1	-	1	9
Periostitis . . .	6	9	4	1	-	-	1	-	1	1	-	1	25
Necrosis . . .	11	13	9	7	1	1	1	12	1	1	2	5	54
Arthritis . . .	1	2	1	1	1	1	1	1	1	2	1	1	13
Synovitis . . .	5	3	2	1	-	1	2	-	1	-	-	-	16
Hernia . . .	1	2	2	1	-	-	3	4	2	2	1	1	19
Hernia Inguinal	9	6	4	3	2	-	12	3	1	-	-	11	41
Atrophy . . .	11	12	3	1	-	2	1	1	1	1	1	11	45
Anæmia . . .	12	10	6	2	-	1	2	4	-	3	1	12	53
Debility . . .	14	9	6	1	-	2	2	4	5	-	1	16	60
Inanition . . .	3	2	1	1	-	-	1	1	-	1	-	1	10
Malaise . . .	7	7	6	5	-	-	2	-	2	-	-	3	32
Hysteria . . .	2	4	8	5	2	-	1	1	-	-	1	1	27
Cephalalgia . . .	12	10	16	12	14	9	5	1	1	1	9	15	105
Vertigo . . .	4	3	2	-	1	-	-	1	-	2	-	1	14
Pareplegia . . .	2	3	2	1	-	-	-	1	-	2	-	1	12
Odontalgia . . .	46	34	44	25	16	11	6	3	2	2	14	39	242
Otalgia . . .	6	5	1	1	1	-	2	1	1	2	3	6	29
Otitis . . .	15	12	10	4	2	4	3	2	2	2	1	3	60
Strabismus . . .	1	2	1	1	-	-	1	1	-	-	1	2	10
Stomatitis . . .	4	2	2	1	-	2	-	1	3	3	1	2	21
Parotiditis . . .	2	1	1	1	-	-	2	-	1	1	1	1	11
Angina . . .	2	1	1	1	-	-	1	-	1	1	1	2	11
Carditis . . .	1	2	1	-	-	-	1	2	-	1	-	1	9
Gastritis . . .	4	5	2	1	-	-	-	-	-	3	-	-	17
Gastralgia . . .	4	6	2	1	-	-	-	1	1	-	-	1	18
Fistula in Ano . .	1	1	3	1	1	-	1	1	1	2	-	1	10
Colic . . .	8	5	1	1	-	3	-	2	3	1	-	1	27
Tympanitis . . .	1	1	2	1	-	-	1	-	1	-	1	-	8
Nephralgia . . .	1	2	1	1	-	1	1	-	1	-	1	-	9
Gonorrhœa . . .	3	4	1	1	-	1	-	-	-	-	1	-	11
Total . . .	310	268	182	92	51	54	65	52	43	48	69	195	1,429

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF TEN TO
TWENTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
LIST OF DISEASES.	Patients.	Patients.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Total Patients.	Total Deaths.	
Urethritis . .	2	4	5	-	1	-	-	1	1	2	-	1	19	-	
Bubo . . .	9	6	12	-	1	-	2	1	1	6	9	12	51	-	
Metritis . .	-	-	-	-	-	-	-	1	1	-	1	-	2	-	
Uterine disease	15	17	10	-	5	3	2	3	1	3	12	13	76	-	
Abortion . .	21	22	19	-	5	2	4	1	2	2	-	11	89	-	
Leucorrhœa . .	5	7	6	-	1	1	1	1	1	-	-	-	21	-	
Chlorosis . .	6	8	5	-	1	1	3	2	1	2	-	-	28	-	
Amenorrhœa . .	12	14	19	-	6	-	13	8	2	3	2	12	96	-	
Dysmenorrhœa .	4	3	7	-	1	1	1	2	2	1	-	2	25	-	
Menorrhagia . .	3	4	2	-	1	-	-	1	1	-	1	-	13	-	
Ovaritis . .	2	1	1	-	1	-	1	-	1	-	1	-	8	-	
Tumor of Neck	3	4	1	-	-	-	1	3	-	-	-	-	12	-	
Tumor of Jaw	2	1	1	-	-	-	-	-	-	-	1	1	6	-	
Goitre . . .	-	-	-	-	-	-	-	-	1	1	1	3	6	-	
Adenitis . .	14	9	6	-	3	3	6	1	3	3	3	12	65	-	
Scrofula . .	12	14	7	-	3	1	7	1	1	2	3	14	70	-	
Pott's disease .	1	2	1	-	1	1	1	-	-	1	-	1	10	-	
Morbus Coxar-															
rius . . .	9	8	4	-	3	1	2	3	1	4	1	1	37	1	
White Swellings	2	2	1	-	1	-	-	-	1	-	1	-	9	-	
Tubercles Mesen-															
terica . . .	1	2	2	-	-	-	-	-	-	-	2	3	10	-	
Torticollis . .	2	3	2	-	1	-	1	-	1	1	-	-	11	-	
Lumbago . .	3	4	3	-	-	-	-	2	-	1	3	1	17	-	
Sciatica . .	1	1	2	-	-	-	1	1	2	1	1	1	10	-	
Coxalgia . .	4	2	2	-	1	1	-	1	2	1	1	2	17	-	
Rubeola . .	15	19	15	-	9	1	1	1	2	2	12	14	92	-	
Varicella . .	15	10	6	-	1	-	1	2	5	-	4	6	64	-	
Scarlatina . .	14	9	3	1	-	1	-	1	2	1	2	11	46	1	
Tobacco poison-															
ing . . .	1	2	2	-	1	-	-	-	-	-	-	-	6	-	
Syphilis . .	9	6	5	-	4	2	2	1	2	4	1	2	42	-	
Syphilis Sec-															
ondary . .	1	2	1	-	1	1	1	2	1	1	2	3	18	-	
Syphilis Terti-															
ary . . .	1	1	1	-	-	1	-	1	-	1	1	1	8	-	
Erythema . .	2	4	1	-	1	3	-	-	1	-	1	1	15	-	
Eczema . .	12	14	19	-	0	1	1	3	1	1	12	12	87	-	
Crustæ Lactæ .	1	1	1	-	11	-	-	-	-	-	-	-	4	-	
Herpes . .	9	9	6	-	2	3	2	1	4	6	5	12	71	-	
Pemphigus . .	2	3	2	-	1	1	-	1	-	1	-	1	11	-	
Impetigo . .	2	5	1	-	1	1	-	-	2	1	-	1	15	-	
Scabies . .	7	5	3	-	1	1	-	-	1	3	2	5	28	-	
Urticaria . .	3	4	3	-	2	-	-	2	-	1	-	1	16	-	
Tinea Capitis .	18	13	9	-	6	2	2	1	3	3	3	9	65	-	
Pityriasis . .	4	6	2	-	2	1	1	2	1	1	1	2	25	-	
Psoriasis . .	1	1	1	-	1	2	1	1	1	1	1	2	15	-	
Total . .	246	252	189	1	79	40	1	56	48	53	45	63	87	1,389	2

Male Patients classified 2,109

Deaths of Male Patients 18

Female Patients classified 1,777

Deaths of Female Patients 9

Patients unclassified by Sexes 2,768

Deaths of unclassified Patients 2

Total Patients 6,654

Total Deaths 29

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY TO
FORTY YEARS, FOR THE YEAR 1872.

1872.	JANUARY.						FEBRUARY.						MARCH.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
LIST OF DISEASES.																		
Epilepsy . . .	3	9	12	-	-	-	7	8	15	-	-	-	3	6	9	-	-	-
Convulsions . . .	3	4	6	-	-	-	3	3	5	-	-	-	5	7	12	-	-	-
Chorea . . .	5	-	5	-	-	-	5	12	17	-	-	-	4	-	4	-	-	-
Congestion of Brain . . .	2	-	2	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Hydrocephalus . . .	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Encephalitis . . .	4	5	9	-	-	-	4	4	8	-	-	-	1	3	4	-	-	-
Meningitis . . .	7	3	10	-	-	-	8	4	12	-	-	-	4	4	6	-	-	-
Locomotor-ataxia . . .	4	1	5	-	-	-	4	-	4	-	-	-	2	2	2	-	-	-
Paralysis . . .	3	2	5	-	-	-	5	1	6	-	-	-	1	3	3	-	-	-
Paralysis, Partial . . .	6	3	9	-	-	-	8	12	10	-	-	-	3	6	6	-	-	-
Hemiplegia . . .	1	3	4	-	-	-	3	3	6	-	-	-	2	2	2	-	-	-
Spinal Disease . . .	5	-	5	-	-	-	4	2	6	-	-	-	8	1	9	-	-	-
Neuralgia . . .	31	52	83	-	-	-	28	34	62	-	-	-	8	35	43	-	-	-
Ophthalmia . . .	4	-	4	-	-	-	4	1	5	-	-	-	3	1	4	-	-	-
Conjunctivitis . . .	20	9	29	-	-	-	15	6	21	-	-	-	9	3	12	-	-	-
Granular Lids . . .	4	1	5	-	-	-	3	1	4	-	-	-	1	2	3	-	-	-
Keratitis . . .	14	8	22	-	-	-	6	9	15	-	-	-	4	9	13	-	-	-
Opacity of Cornea . . .	6	4	10	-	-	-	6	-	6	-	-	-	2	-	2	-	-	-
Iritis . . .	1	5	6	-	-	-	2	5	7	-	-	-	1	3	4	-	-	-
Ozoena . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coryza . . .	1	3	4	-	-	-	2	1	3	-	-	-	1	1	2	-	-	-
Catarrh . . .	72	60	132	-	-	-	40	59	99	-	-	-	9	22	31	-	-	-
Epistaxis . . .	1	3	4	-	-	-	5	1	6	-	-	-	2	-	2	-	-	-
Tonsillitis . . .	5	7	12	-	-	-	3	12	15	-	-	-	3	8	11	-	-	-
Pharyngitis . . .	19	10	29	-	-	-	13	22	35	-	-	-	7	8	15	-	-	-
Diphtheria . . .	1	4	5	-	1	4	4	8	12	-	-	-	4	5	9	-	-	-
Laryngitis . . .	2	7	9	-	-	1	1	5	6	-	-	-	1	3	4	-	-	-
Bronchitis . . .	20	111	311	-	-	147	125	272	-	-	-	121	81	202	-	-	-	-
Bronchitis, Chronic . . .	13	8	21	-	-	14	11	25	-	-	-	11	8	19	-	-	-	-
Bronchitis with Diarrhoea . . .	20	11	31	-	-	14	10	24	-	-	-	8	7	15	-	-	-	-
Asthma . . .	15	14	29	-	-	15	4	19	-	-	-	6	4	10	-	-	-	-
Pertussis . . .	13	6	19	-	-	7	10	17	-	-	-	5	11	16	-	-	-	-
Congestion of Lungs . . .	8	2	10	-	-	7	2	9	-	-	-	3	1	4	-	-	-	-
Pneumonia . . .	30	37	67	1	-	26	21	47	-	1	-	10	11	21	1	-	-	-
Emphysema Pulm. . . .	2	-	2	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-
Pleuritis . . .	22	20	42	-	-	14	14	28	-	-	-	8	15	23	-	-	-	-
Total . . .	547	412	959	1	1	420	389	818	-	1	-	263	263	526	1	-	-	-

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY TO
FORTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	APRIL.						MAY.						JUNE.					
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
Epilepsy . . .	-	2	2	-	-	-	2	1	3	-	-	-	1	-	1	-	-	-
Convulsions . . .	3	1	4	-	-	-	1	-	1	-	-	-	3	-	3	-	-	-
Chorea . . .	1	-	1	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-
Congestion of Brain . . .	1	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Hydrocephalus . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis . . .	1	-	1	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-
Locomotor-ataxia . . .	-	-	-	-	-	-	2	-	2	-	-	-	1	-	1	-	-	-
Paralysis . . .	2	-	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Paralysis, Partial . . .	1	-	1	-	-	-	1	3	4	-	-	-	2	-	2	-	-	-
Hemiplegia . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal Disease . . .	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia . . .	4	11	15	-	-	-	3	4	7	-	-	-	1	3	4	-	-	-
Ophthalmia . . .	1	1	2	-	-	-	1	1	2	-	-	-	1	1	2	-	-	-
Conjunctivitis . . .	6	3	9	-	-	-	3	2	5	-	-	-	5	3	8	-	-	-
Granular Lids . . .	1	1	2	-	-	-	3	1	4	-	-	-	1	-	1	-	-	-
Keratitis . . .	1	3	4	-	-	-	3	4	7	-	-	-	2	4	6	-	-	-
Opacity of Cornea . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iritis . . .	-	1	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Ozena . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coryza . . .	1	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Catarrh . . .	4	4	8	-	-	-	3	-	3	-	-	-	1	4	5	-	-	-
Epistaxis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tonsillitis . . .	2	3	5	-	-	-	-	2	2	-	-	-	2	1	3	-	-	-
Pharyngitis . . .	1	3	4	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-
Diphtheria . . .	-	2	2	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Laryngitis . . .	-	2	2	-	-	-	1	1	2	-	-	-	2	2	4	-	-	-
Bronchitis . . .	38	26	64	-	-	-	36	30	66	-	-	-	15	16	31	-	-	-
Bronchitis, Chronic . . .	7	4	11	-	-	-	5	5	10	-	-	-	2	3	5	-	-	-
Bronchitis with . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea . . .	5	6	11	-	-	-	4	1	5	-	-	-	-	2	2	-	-	-
Asthma . . .	2	-	2	-	-	-	6	1	7	-	-	-	2	-	2	-	-	-
Pertussis . . .	4	5	9	-	-	-	-	2	2	-	-	-	1	-	1	-	-	-
Congestion of Lungs . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia . . .	4	6	10	-	-	-	5	8	13	1	-	-	1	4	5	1	-	-
Emphysema Pulm. . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleuritis . . .	2	3	5	-	-	-	1	3	4	-	-	-	2	4	6	-	-	-
Total . . .	99	90	189	1	-	-	88	74	162	3	-	-	49	52	101	1	-	-

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	JULY.						AUGUST.						SEPTEMBER.					
LIST OF DISEASES.	Sexes.			Total.	Deaths.		Sexes.			Total.	Deaths.		Sexes.			Total.	Deaths.	
	Male.	Female.	Male.		Female.	Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.	Male.		Female.	
Epilepsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions . .	1	1	2	-	-	-	-	-	-	-	-	-	3	1	4	-	-	-
Chorea . . .	-	1	1	-	-	-	3	-	3	-	-	-	1	-	1	-	-	-
Congestion of Brain	1	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Hydrocephalus .	2	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Encephalitis . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Meningitis . . .	1	-	1	-	-	-	2	-	2	-	-	-	3	1	4	-	-	-
Locomotor-ataxia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Paralysis, Partial .	2	1	3	-	-	-	2	-	2	-	-	-	-	1	1	-	-	-
Hemiplegia . . .	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal Disease . .	-	-	-	-	-	-	1	-	1	-	-	-	2	1	3	-	-	-
Neuralgia . . .	1	7	8	-	-	-	1	8	9	-	-	-	1	7	8	-	-	-
Ophthalmia . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis . .	8	1	9	-	-	-	3	2	5	-	-	-	4	2	6	-	-	-
Granular Lids . .	3	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Keratitis . . .	2	3	5	-	-	-	2	-	2	-	-	-	3	5	8	-	-	-
Opacity of Cornea .	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Iritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Ozœna . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Coryza . . .	1	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Catarrh . . .	-	-	-	-	-	-	-	2	2	-	-	-	2	-	2	-	-	-
Epistaxis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tonsillitis . . .	1	1	2	-	-	-	1	2	3	-	-	-	2	4	6	-	-	-
Pharyngitis . . .	5	4	9	-	-	-	9	4	13	-	-	-	2	3	5	-	-	-
Diphtheria . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
Laryngitis . . .	-	2	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Bronchitis . . .	14	6	20	-	-	-	12	4	16	-	-	-	31	19	50	-	-	-
Bronchitis, Chronic	4	2	6	-	-	-	3	-	3	-	-	-	7	5	12	-	-	-
Bronchitis with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa . . .	2	-	2	-	-	-	1	3	4	-	-	-	1	2	3	-	-	-
Asthma . . .	3	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Pertussis . . .	-	-	-	-	-	-	2	7	9	-	-	-	2	4	6	-	-	-
Congestion of Lungs	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia . . .	2	3	5	2	-	-	4	4	8	-	-	-	3	4	7	-	1	-
Emphysema Pulm.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Pleuritis . . .	-	2	2	-	-	-	2	1	3	-	-	-	2	3	5	-	-	-
Total	56	38	94	2	-	-	52	38	90	-	-	-	78	68	146	-	1	-

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	OCTOBER.						NOVEMBER.						DECEMBER.						Total Patients.	Total Deaths.
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.				
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.			
Epilepsy	-	1	1	-	-	-	-	-	-	-	-	-	6	3	9	-	-	52	-	
Convulsions	2	-	2	-	-	-	3	-	3	-	-	-	1	-	1	-	-	43	-	
Chorea	-	1	1	-	-	-	1	2	3	-	-	-	1	-	1	-	-	30	-	
Congestion of Brain	-	-	-	-	-	-	1	-	1	-	-	-	2	-	2	-	-	13	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	
Encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	-	
Meningitis	1	-	1	-	-	-	1	-	1	-	-	-	1	1	2	-	-	40	3	
Locomotor-ataxia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-	
Paralysis	5	-	5	-	-	-	2	-	2	-	-	-	2	-	2	-	-	29	-	
Paralysis, Partial	2	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	42	-	
Hemiplegia	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	17	-	
Spinal Disease	1	-	1	-	-	-	1	-	1	-	-	-	6	1	7	-	-	37	-	
Neuralgia	-	5	5	-	-	-	2	17	19	-	-	-	8	22	30	-	-	293	-	
Ophthalmia	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	
Conjunctivitis	-	2	2	-	-	-	4	1	5	-	-	-	7	2	9	-	-	120	-	
Granular Lids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	
Keratitis	2	4	6	-	-	-	2	2	4	-	-	-	2	3	5	-	-	95	-	
Opacity of Cornea	1	-	1	-	-	-	2	-	2	-	-	-	1	-	1	-	-	26	-	
Iritis	-	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	24	-	
Ozoena	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	
Coryza	-	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	17	-	
Catarrh	1	7	8	-	-	-	4	8	12	-	-	-	24	24	48	-	-	350	-	
Epistaxis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	13	-	
Tonsillitis	2	2	4	-	-	-	4	9	13	-	-	-	4	5	9	-	-	83	-	
Pharyngitis	-	3	3	-	-	-	1	2	3	-	-	-	1	3	4	-	-	127	-	
Diphtheria	-	1	1	-	-	-	-	2	2	-	-	-	-	1	1	-	-	35	1	
Laryngitis	-	1	1	-	-	-	2	1	3	-	-	-	-	-	-	-	-	35	-	
Bronchitis	34	33	67	-	-	-	104	82	186	-	-	-	145	110	255	-	-	1,540	-	
Bronchitis, Chronic	5	4	9	-	-	-	13	14	27	-	-	-	18	13	31	-	-	179	-	
Bronchitis with Diarrhoea	-	2	2	-	-	-	1	-	1	-	-	-	2	-	2	-	-	102	-	
Asthma	3	1	4	-	-	-	7	2	9	-	-	-	12	5	17	-	-	103	-	
Pertussis	3	7	10	-	-	-	3	3	6	-	-	-	14	5	19	-	-	114	-	
Congestion of Lungs	1	-	1	-	-	-	9	-	9	-	-	-	5	1	6	-	-	42	-	
Pneumonia	2	7	9	-	-	-	10	9	19	-	-	-	15	14	29	-	-	240	8	
Emphysema Pulm.	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	8	-	
Pleuritis	1	3	4	-	-	-	2	2	4	-	-	-	2	7	9	-	-	136	-	
Total	67	87	154	-	-	-	177	156	333	-	-	-	283	227	510	-	-	4,077	12	

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	JANUARY.						FEBRUARY.						MARCH.					
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
Heart Disease . . .	20	7	27	-	2	2	10	9	19	-	-	-	8	2	10	-	-	-
Endocarditis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia . . .	23	47	70	-	-	-	23	22	45	-	-	-	8	11	19	-	-	-
Ulcer of Stomach . .	3	-	3	-	-	-	5	-	5	-	-	-	5	1	6	-	-	-
Cancer of Stomach .	3	-	3	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Diarrhoea . . .	21	21	42	-	-	-	22	14	36	-	-	-	21	26	47	-	-	-
Diarrhoea, Chronic .	5	4	9	1	-	1	2	3	5	-	-	-	2	4	6	-	-	-
Cholera Morbus . .	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Enteritis . . .	2	7	9	-	-	-	2	7	9	-	-	-	3	9	12	-	-	-
Dysentery . . .	3	4	7	-	-	-	3	5	8	-	-	-	11	10	21	-	-	-
Constipation . . .	10	28	38	-	-	-	9	20	29	-	-	-	6	15	21	-	-	-
Hæmorrhoids . . .	15	23	38	-	-	-	22	9	31	-	-	-	7	12	19	-	-	-
Helminthiasis . . .	10	2	12	-	-	-	8	5	13	-	-	-	4	6	10	-	-	-
Tænia . . .	1	4	5	-	-	-	5	1	6	-	-	-	1	2	3	-	-	-
Hepatitis . . .	2	4	6	-	-	-	2	4	6	-	-	-	-	3	3	-	-	-
Congestion of Liver .	3	1	4	-	-	-	4	1	5	-	-	-	1	1	1	-	-	-
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	2	5	7	-	-	-	5	2	8	-	-	-	1	3	4	-	-	-
Bright's Disease . .	5	1	6	-	-	-	3	2	5	-	-	-	2	1	3	-	-	-
Ascites . . .	3	6	9	-	-	-	1	5	6	-	2	-	2	1	3	-	-	-
Anasarca . . .	1	5	6	-	-	-	1	3	4	-	-	-	2	1	3	-	-	-
Cystitis . . .	-	5	5	-	-	-	1	5	6	-	-	-	-	2	2	-	-	-
Dysuria . . .	2	3	5	-	-	-	2	4	6	-	-	-	-	4	4	-	-	-
Incontinence of Urine	9	3	12	-	-	-	7	2	9	-	-	-	-	3	5	-	-	-
Gravel . . .	2	3	5	-	-	-	1	4	5	-	-	-	1	3	4	-	-	-
Phthisis . . .	47	28	75	2	2	4	40	21	61	2	1	3	23	15	38	1	1	1
Rheumatism . . .	114	75	189	-	-	-	106	80	186	-	-	-	103	67	170	-	-	-
Rheumatism, Chronic .	11	4	15	-	-	-	5	4	9	-	-	-	3	3	6	-	-	-
Erysipelas . . .	8	4	12	-	-	-	8	7	15	-	-	-	5	4	9	-	-	-
Epheimeral Fever . .	13	16	29	-	-	-	9	12	21	-	-	-	-	11	19	-	-	-
Intermittent Fever . .	69	98	167	-	-	-	69	72	132	-	-	-	29	46	75	-	-	-
Remittent Fever . . .	59	35	94	-	-	-	47	33	80	-	-	-	13	12	25	-	-	-
Typhoid Fever . . .	20	9	29	-	-	-	12	7	19	-	-	-	9	3	12	1	-	-
Cerebro-spinal Meningitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	486	453	939	3	4	7	426	364	790	2	3	5	281	280	561	2	1	3

JANUARY.				FEBRUARY.				MARCH.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
26°	.670	S. W. h.	N. W. g.	27°	.690	S. W. g.	S. E. g.	29°	3.220	N. E. h.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872.— *Continued.*

LIST OF DISEASES.	1872.			APRIL.			MAY.			JUNE.							
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.			
Heart Disease . . .	4	1	5	1	-	-	4	2	1	1	1	-	1	1	-	-	
Endocarditis . . .	-	-	-	-	-	-	4	2	6	-	-	-	-	-	-	-	
Dyspepsia . . .	2	9	11	-	-	-	3	8	11	-	-	-	9	13	22	-	
Ulcer of Stomach . .	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	
Cancer of Stomach . .	-	1	1	-	-	-	1	-	1	-	-	-	1	-	1	-	
Diarrhoea . . .	10	7	17	-	-	-	3	5	8	-	-	-	5	3	8	-	
Diarrhoea, Chronic . .	-	1	1	-	-	-	3	1	1	-	-	-	1	-	1	-	
Cholera Morbus . . .	2	4	6	-	-	-	4	1	5	-	-	-	13	6	19	-	
Enteritis . . .	1	3	4	-	-	-	-	1	1	-	-	-	-	-	-	-	
Dysentery . . .	6	5	11	-	-	-	-	3	3	-	-	-	5	5	10	-	
Constipation . . .	2	8	10	-	-	-	2	8	10	-	-	-	1	6	7	-	
Hæmorrhoids . . .	2	3	5	-	-	-	1	4	5	-	-	-	-	2	2	-	
Helminthiasis . . .	-	3	3	-	-	-	-	1	1	-	-	-	3	1	4	-	
Tænia . . .	1	-	1	-	-	-	-	2	2	-	-	-	1	3	4	-	
Hepatitis . . .	-	2	2	-	-	-	-	2	2	-	-	-	-	2	2	-	
Congestion of Liver .	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis . . .	1	2	3	-	-	-	-	1	1	-	-	-	-	2	2	-	
Bright's Disease . . .	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	
Ascites . . .	2	-	2	-	-	-	3	2	5	-	-	-	1	-	1	-	
Anasarca . . .	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
Cystitis . . .	-	1	1	-	-	-	-	1	1	-	-	-	1	1	2	-	
Dysuria . . .	-	2	2	-	-	-	-	1	1	-	-	-	1	1	1	-	
Incontinence of Urine	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gravel . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	1	1	-	
Phthisis . . .	12	12	24	1	1	11	9	20	2	1	10	15	25	3	2	2	
Rheumatism . . .	50	30	80	-	-	23	17	40	-	-	12	10	22	-	-	-	
Rheumatism, Chronic .	2	-	2	-	-	4	4	8	-	-	6	3	9	-	-	-	
Erysipelas . . .	2	-	2	-	-	-	-	-	-	-	5	5	10	-	-	-	
Ephemeral Fever . . .	2	6	8	-	-	-	2	2	-	-	1	2	3	-	-	-	
Intermittent Fever . .	20	6	26	-	-	35	17	52	-	-	13	22	35	-	-	-	
Remittent Fever . . .	4	2	6	-	-	5	1	6	-	-	-	-	-	-	-	-	
Typhoid Fever . . .	4	2	6	-	-	4	1	5	-	-	2	1	3	-	-	-	
Cerebro-spinal Men- ingitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	134	112	246	1	1	105	95	200	3	2	95	102	197	4	2	2	

APRIL.			MAY.			JUNE.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
48°	2.990	S. W. h. N. E. h.	57½°	3.285	S. W. g. S. E. h.	70¼°	3.410	S. W. g. N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872.— *Continued.*

LIST OF DISEASES.	1872.			JULY.						AUGUST.						SEPTEMBER.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.					
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.			
Heart Disease . . .	2	3	5	1	-	-	1	3	4	-	-	-	2	4	6	-	-	-			
Endocarditis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dyspepsia . . .	12	9	21	-	-	-	3	17	20	-	-	-	12	14	16	-	-	-			
Ulcer of Stomach . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cancer of Stomach .	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-			
Diarrhoea . . .	29	20	49	-	-	-	19	37	56	-	-	-	18	10	28	-	-	1			
Diarrhoea, Chronic .	4	2	6	-	-	-	4	5	9	-	-	-	5	4	9	-	-	-			
Cholera Morbus . .	20	16	45	-	-	-	26	13	39	-	-	-	24	1	25	-	-	-			
Enteritis . . .	1	2	3	-	-	-	4	2	6	-	-	-	3	3	6	-	-	-			
Dysentery . . .	5	4	9	-	-	-	9	5	14	-	-	-	9	4	13	-	-	-			
Constipation . . .	1	7	8	-	-	-	1	9	10	-	-	-	5	5	10	-	-	-			
Hæmorrhoids . . .	1	2	3	-	-	-	-	2	2	-	-	-	12	2	14	-	-	-			
Helminthiasis . . .	-	1	1	-	-	-	1	4	5	-	-	-	5	5	10	-	-	-			
Tonia . . .	1	3	4	-	-	-	2	-	2	-	-	-	12	1	13	-	-	-			
Hepatitis . . .	-	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-			
Congestion of Liver .	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-			
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-			
Nephritis . . .	-	1	1	-	-	-	2	-	2	-	-	-	1	2	3	-	-	-			
Bright's Disease . .	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-			
Ascites . . .	2	1	3	-	1	-	1	1	2	-	-	-	1	-	1	-	-	1			
Anasarca . . .	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	-	-	-			
Cystitis . . .	1	1	2	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-			
Dysuria . . .	-	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-			
Incontinence of Urine	4	1	5	-	-	-	2	-	2	-	-	-	4	1	5	-	-	-			
Gravel . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis . . .	17	9	26	3	2	-	8	8	16	3	-	-	24	15	39	1	-	-			
Rheumatism . . .	15	8	23	-	-	-	11	7	18	-	-	-	14	10	24	-	-	-			
Rheumatism, Chronic	1	-	1	-	-	-	7	2	9	-	-	-	12	2	14	-	-	-			
Erysipelas . . .	4	1	5	-	-	-	1	-	1	-	-	-	3	1	4	-	-	-			
Ephemeral Fever . .	1	1	2	-	-	-	3	1	4	-	-	-	-	-	-	-	-	-			
Intermittent Fever .	17	21	38	-	-	-	31	12	43	-	-	-	64	30	94	-	-	-			
Remittent Fever . .	3	-	3	-	-	-	8	3	11	-	-	-	15	11	26	-	-	-			
Typhoid Fever . . .	2	-	2	-	-	-	10	5	15	2	1	-	14	11	25	2	-	-			
Cerebro-spinal Men- ingitis	2	-	2	-	-	-	2	1	3	-	-	-	2	-	2	-	-	-			
Total	155	116	271	4	3	-	159	138	297	5	1	-	196	141	337	4	2	-			

JULY.			AUGUST.			SEPTEMBER.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
72½°	4.050	S. W. h. N. W. g.	72°	2.560	N. W. g. S. W. g.	64°	6.480	S. W. g. S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872.— *Continued.*

LIST OF DISEASES	1872.			OCTOBER.				NOVEMBER.				DECEMBER.				Total Patients.	Total Deaths.	
	Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.				
	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.						
Heart Disease . .	2	4	6	-	-	-	-	-	-	*1	-	3	1	4	1	-	88	8
Endocarditis . .	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	8	-
Dyspepsia . . .	2	13	15	-	-	-	3	9	12	-	-	4	6	10	-	-	272	-
Ulcer of Stomach .	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	20	-
Cancer of Stomach	1	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	12	-
Diarrhoea . . .	4	6	10	-	-	-	4	3	7	-	-	4	7	11	-	-	319	1
Diarrhoea, Chronic	-	-	3	-	-	-	1	-	1	-	-	1	1	2	-	-	53	2
Cholera Morbus .	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	124	-
Enteritis . . .	-	2	2	-	-	-	-	2	2	-	1	1	5	6	-	-	59	1
Dysentery . . .	7	3	10	-	-	-	4	5	9	1	-	7	4	11	1	-	126	3
Constipation . .	3	3	6	-	-	-	1	6	7	-	-	3	12	15	-	-	166	-
Hæmorrhoids . .	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	112	-
Helminthiasis . .	2	4	6	-	-	-	1	5	6	-	-	3	7	10	-	-	77	-
Tænia . . .	-	3	3	-	-	-	-	1	1	-	-	1	1	2	-	-	36	-
Hepatitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	24	-
Congestion of Liver	1	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	17	-
Jaundice . . .	2	-	2	-	-	-	1	-	1	-	-	6	-	6	-	-	12	-
Nephritis . . .	1	1	2	-	-	-	-	1	1	-	-	2	1	3	-	-	37	-
Bright's Disease .	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	18	-
Ascites . . .	2	-	2	-	-	-	2	1	3	-	-	5	-	5	1	-	41	5
Anasarca . . .	-	1	1	-	-	-	-	1	1	-	-	2	4	6	-	-	26	-
Cystitis . . .	1	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	27	-
Dysuria . . .	1	-	1	-	-	-	1	2	3	-	-	-	2	2	-	-	28	-
Incontinence of Urine	8	2	10	-	-	-	-	1	1	-	-	4	-	4	-	-	57	-
Gravel . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	-
Phthisis . . .	15	14	29	1	-	14	5	19	1	-	-	19	10	29	2	-	401	31
Rheumatism . . .	18	14	32	-	-	14	12	26	-	-	-	44	33	77	-	-	887	-
Rheumatism, Chronic	3	-	3	-	-	3	1	4	-	-	-	9	6	15	-	-	85	-
Erysipelas . . .	1	1	2	-	-	4	4	8	-	-	-	5	1	6	-	-	65	-
Ephemeral Fever .	-	-	-	-	-	4	5	9	-	-	-	10	9	19	-	-	116	-
Intermittent Fever	43	25	68	-	-	20	21	41	-	-	-	49	38	87	-	-	858	-
Remittent Fever .	12	5	17	-	-	6	2	8	-	-	-	9	7	16	-	-	294	-
Typhoid Fever . .	13	3	16	4	-	14	4	18	2	1	19	10	29	1	-	-	179	14
Cerebro-spinal Men- ingitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Total	145	113	258	5	-	98	88	186	5	2	217	169	386	6	-	-	4,668	65

OCTOBER.				NOVEMBER.				DECEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
52°	.650	N. E. g.	S. W. h.	32½°	.800	N. W. h	N. W. g.	19°	.430	N. W. g.	S. W. g.

Male Patients, Classified 4,680

Female Patients, Classified 4,065

Patients, Unclassified by Sexes 5,301

Total Patients 14,046

Deaths of Male Patients 53

Deaths of Female Patients 24

Deaths of Unclassified Patients 2

Total Deaths 79

* Case from previous month.

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF
TWENTY TO FORTY YEARS, FOR THE YEAR 1872.

1872.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Patients.
LIST OF DISEASES.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	
Abscess . . .	41	30	12	9	9	8	8	7	8	6	9	20	176
Furuncle . . .	4	9	3	1	-	-	-	1	-	2	-	1	21
Ulcers . . .	59	38	21	9	10	14	12	5	9	10	9	20	216
Inflammation of													
Mamma . . .	4	6	3	1	-	-	-	-	-	-	-	1	15
Ulcer of Leg . .	15	17	9	5	4	4	3	3	4	6	2	4	76
Frost-bite . . .	29	15	-	-	-	-	-	-	-	-	-	21	65
Contusion or													
Contused wound	33	40	23	6	5	4	8	9	10	4	7	16	165
Incised wound	11	9	5	1	-	5	-	4	1	1	-	6	43
Punctured													
wound . . .	2	1	2	1	-	-	2	1	1	-	-	1	11
Paronychia . . .	1	2	1	1	-	-	-	4	-	2	-	1	11
Onychia . . .	2	3	1	1	-	-	-	-	-	-	1	-	8
Varix . . .	3	4	2	1	-	-	2	-	1	1	-	2	16
Varicose Veins	18	16	11	6	3	1	-	3	1	5	6	5	75
Fracture of Clavicle . . .	9	4	2	1	1	2	3	-	-	-	-	5	27
Fracture of Ulna . . .	4	5	2	1	-	-	3	-	-	2	-	-	16
Fracture of Tibia . . .	19	12	2	1	1	-	-	2	1	1	-	-	39
Dislocation of													
Shoulder . . .	6	5	12	4	1	3	2	-	4	2	3	1	43
Periostitis . . .	12	15	6	2	1	2	-	-	-	-	-	-	38
Caries . . .	1	2	1	1	1	1	1	-	-	1	-	1	9
Necrosis . . .	13	10	6	2	1	1	3	2	2	-	6	-	45
Arthritis . . .	6	4	3	1	1	1	1	1	2	1	1	6	27
Synovitis . . .	6	9	5	1	1	-	-	-	2	2	4	5	35
Hernia . . .	9	17	14	7	5	1	1	6	1	4	6	13	90
Hernia Inguinal . . .	9	10	4	2	-	1	-	-	3	-	-	4	33
Hernia Umbilical . . .	19	10	6	1	1	-	-	2	1	2	-	-	42
Atrophy . . .	9	2	3	1	-	-	-	1	2	4	2	1	25
Anæmia . . .	19	20	10	7	4	2	4	10	3	3	10	16	108
Debility . . .	87	60	42	17	19	12	21	20	12	8	11	11	320
Malaise . . .	15	10	9	6	-	2	1	3	1	-	1	2	50
Hysteria . . .	9	6	4	2	2	4	2	6	5	4	3	4	51
Cephalalgia . . .	21	19	11	6	7	6	5	9	6	2	4	9	105
Vertigo . . .	2	3	2	1	-	1	-	2	-	1	1	-	13
Odontalgia . . .	53	62	32	20	9	1	2	5	16	20	19	27	266
Otalgia . . .	4	3	2	1	-	-	-	-	1	4	-	-	15
Otitis . . .	15	21	7	3	5	3	2	2	-	-	-	-	58
Stomatitis . . .	2	2	3	1	4	-	-	-	2	1	5	2	22
Angina . . .	4	5	3	1	1	-	1	-	1	1	-	2	19
Cardialgia . . .	2	1	-	1	-	1	1	2	2	2	1	-	13
Gastritis . . .	16	10	9	2	3	3	1	2	-	-	1	1	48
Gastralgia . . .	10	8	2	1	2	-	2	3	-	-	-	-	28
Fistula in Ano . . .	9	8	3	1	-	-	2	-	1	2	1	-	27
Colic . . .	11	9	6	2	3	1	5	12	3	2	7	2	63
Total . . .	623	542	304	138	104	88	96	128	106	106	120	218	2,573

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF TWENTY
TO FORTY YEARS, FOR THE YEAR 1872. — *Continued.*

1872.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Patients.	Total Deaths.
LIST OF DISEASES.	Patients.	Patients.	Patients.	Patients.	Deaths.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.		
Nephralgia . .	12	4	2	1	-	-	-	2	-	1	-	1	23	-
Gonorrhœa . .	12	9	6	4	-	1	4	3	1	3	3	4	51	-
Urethritis . .	6	7	4	1	-	-	1	2	-	2	1	1	27	-
Bubo	21	11	6	5	-	2	3	1	3	1	2	9	69	-
Orchitis . . .	4	5	2	-	-	-	2	2	-	1	-	1	17	-
Metritis . . .	130	105	65	88	2	59	52	35	31	26	12	24	641	2
Uterine Disease	45	41	19	10	-	12	23	8	3	9	5	1	15	-
Abortion . . .	95	41	42	25	-	10	5	9	3	6	2	5	253	-
Leucorrhœa . .	41	29	12	4	-	4	3	2	1	3	2	2	105	-
Vaginitis . . .	-	-	-	-	-	-	2	2	1	2	1	-	8	-
Prolapsus Uteri . .	35	33	37	20	-	23	7	11	6	15	12	11	219	-
Displacement of Uterus . .	5	4	2	1	-	1	-	-	2	-	1	-	17	-
Chlorosis . . .	11	9	5	2	-	1	2	1	2	1	-	1	39	-
Amenorrhœa . .	23	19	9	5	-	-	2	5	3	2	6	8	15	-
Dysmenorrhœa .	3	5	3	2	-	1	5	2	2	3	1	4	36	-
Menorrhagia . .	10	12	9	2	-	-	4	3	-	2	1	1	48	-
Ovaritis . . .	6	7	2	1	-	-	-	-	-	-	-	-	16	-
Tumors	15	14	9	4	-	1	2	1	4	3	4	5	68	-
Encephaloid Tumors . .	2	3	2	1	-	-	-	-	-	-	-	-	9	-
Goitre	-	2	2	2	-	1	-	-	-	-	-	-	7	-
Adenitis . . .	24	24	14	6	-	5	1	-	1	3	3	1	90	-
Scrofula . . .	7	6	4	1	-	3	1	1	1	4	-	3	33	-
Morbus Coxarius . .	4	5	2	1	-	1	3	1	1	-	2	2	25	-
Lumbago . . .	29	18	9	4	-	3	2	4	6	1	1	2	85	-
Sciatica . . .	7	5	3	1	-	-	2	4	-	1	1	1	26	-
Coxalgia . . .	4	5	2	1	-	2	1	1	2	1	1	3	25	-
Rubeola . . .	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Scarlatina . .	19	14	2	3	-	-	-	-	5	2	3	4	52	-
Syphilis . . .	21	14	17	8	-	6	6	5	4	2	6	9	105	-
Syphilis, Secondary . .	4	5	8	1	-	2	11	10	6	3	4	4	59	-
Syphilis, Tertiary . .	8	4	3	2	-	1	1	-	-	1	2	-	20	-
Chancre . . .	1	2	1	2	-	2	2	2	1	1	3	2	20	-
Rupia	-	-	-	-	-	3	-	-	1	-	2	-	6	-
Erythema . . .	4	3	4	1	-	-	-	4	-	1	-	-	19	-
Eczema	9	7	6	3	-	1	-	2	-	2	2	5	39	-
Herpes	3	5	2	2	-	2	-	-	-	-	1	2	17	-
Pemphigus . .	2	1	2	1	-	-	-	-	-	1	-	-	8	-
Impetigo . . .	7	8	4	1	-	-	1	-	2	2	1	1	29	-
Scabies	3	4	2	1	-	-	-	-	-	2	-	-	13	-
Urticaria . . .	9	6	5	2	-	1	1	-	2	3	-	2	31	-
Tinea Capitis . .	2	4	6	1	-	1	1	2	2	1	2	4	30	-
Psoriasis . . .	12	9	6	1	-	2	-	-	2	-	-	5	41	-
Total	653	509	338	221	2	151	156	119	100	108	86	123	2,728	2

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FORTY
TO SIXTY YEARS, FOR THE YEAR 1872.

LIST OF DISEASES.	1872.			JANUARY.			FEBRUARY.			MARCH.					
	Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.			
Epilepsy . . .	2	1	3	-	-	2	1	3	-	-	1	2	3	-	-
Convulsions . . .	4	2	6	-	-	5	4	9	-	-	3	1	4	-	-
Congestion of Brain . . .	-	1	1	-	-	2	2	2	-	-	-	-	-	1	-
Paralysis . . .	4	1	5	-	-	2	2	2	-	-	1	2	3	-	-
Paralysis, Partial . . .	1	1	2	-	-	4	2	6	-	-	2	3	5	-	-
Hemiplegia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal Disease . . .	2	-	2	-	-	3	1	4	-	-	2	-	2	-	-
Neuralgia . . .	8	33	41	-	-	2	18	20	-	-	14	35	49	-	-
Conjunctivitis . . .	4	6	10	-	-	3	3	6	-	-	6	3	9	-	-
Granular Lids . . .	1	2	3	-	-	1	-	1	-	-	1	-	1	1	-
Keratitis . . .	1	2	3	-	-	-	3	3	-	-	2	1	3	-	-
Iritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozoena . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh . . .	15	5	20	-	-	15	14	29	-	-	4	8	12	-	-
Epistaxis . . .	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Tonsillitis . . .	5	14	19	-	-	4	8	12	-	-	6	3	9	-	-
Pharyngitis . . .	3	6	9	-	-	3	7	10	-	-	1	3	4	-	-
Laryngitis . . .	2	4	6	-	-	-	1	1	-	-	-	2	2	-	-
Bronchitis . . .	76	45	121	-	-	76	65	141	-	-	59	42	101	-	-
Bronchitis, Chronic . . .	12	9	21	-	-	11	8	19	-	-	10	6	16	-	-
Asthma . . .	13	6	19	-	-	11	5	16	-	-	3	-	3	-	-
Pertussis . . .	3	6	9	-	-	7	2	9	-	-	2	-	2	-	-
Congestion of Lungs . . .	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Pneumonia . . .	7	8	15	3	-	10	6	16	-	-	3	7	10	1	-
Pleuritis . . .	28	10	38	-	-	19	13	32	-	-	4	14	18	-	-
Heart Disease . . .	6	3	9	-	-	4	3	7	-	-	2	1	4	-	-
Endocarditis . . .	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-
Dyspepsia . . .	9	20	29	-	-	3	15	18	-	-	12	7	19	-	-
Cancer of Stomach . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea . . .	10	6	16	-	-	11	5	16	-	-	3	11	14	1	-
Cholera Morbus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	-	2	2	1	-	-	1	1	-	-	-	1	1	-	-
Dysentery . . .	5	1	6	-	-	2	-	2	-	-	2	3	5	-	-
Constipation . . .	1	18	19	-	-	9	16	25	-	-	3	13	16	-	-
Hæmorrhoids . . .	3	7	10	-	-	3	10	13	-	-	3	4	7	-	-
Hepatitis . . .	1	4	5	-	-	3	4	7	-	-	3	2	5	-	-
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	-	2	2	-	-	1	2	3	-	-	1	-	1	-	-
Bright's Disease . . .	2	-	2	-	-	2	-	2	-	-	1	-	1	-	-
Ascites . . .	1	-	1	-	-	1	1	2	-	-	-	1	1	-	-
Cystitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of Urine . . .	3	1	4	-	-	5	1	6	-	-	2	-	2	-	-
Gravel . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis . . .	25	14	39	3	1	19	12	31	-	-	15	4	19	1	1
Rheumatism . . .	105	57	162	-	-	70	52	122	-	-	43	17	60	-	-
Rheumatism, Chronic . . .	15	4	19	-	-	8	3	11	-	-	2	1	3	-	-
Erysipelas . . .	3	3	6	-	-	2	2	4	-	-	1	-	1	-	-
Ephemeral Fever . . .	3	2	5	-	-	5	1	6	-	-	-	1	1	-	-
Intermittent Fever . . .	19	16	35	-	-	17	12	29	-	-	27	17	44	-	-
Remittent Fever . . .	8	11	19	-	-	10	7	17	-	-	9	3	12	-	-
Typhoid Fever . . .	4	1	5	-	-	6	3	9	-	-	4	2	6	2	-
Total . . .	416	334	750	6	2	361	315	676	-	2	240	220	460	8	2

JANUARY.				FEBRUARY.				MARCH.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
26°	.670	S. W. h.	N. W. g.	27°	.690	S. W. g.	S. E. g.	29°	3.220	N. E. h.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FORTY
TO SIXTY YEARS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.			APRIL.			MAY.			JUNE.							
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.			
Epilepsy . . .	-	1	1	-	-	-	2	2	-	-	-	1	1	2	-	-	
Convulsions . .	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	
Congestion of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paralysis . . .	1	-	1	-	-	-	2	1	3	-	-	-	-	-	-	-	
Paralysis, Partial .	4	2	6	-	-	-	-	1	1	-	-	-	-	-	-	-	
Hemiplegia . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spinal Disease . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neuralgia . . .	2	3	5	-	-	-	1	9	10	-	-	-	5	5	-	-	
Conjunctivitis . .	1	2	3	-	-	-	1	1	1	-	-	1	1	2	-	-	
Granular Lids . .	1	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	
Keratitis . . .	-	2	2	-	-	-	-	2	2	-	-	-	1	1	-	-	
Iritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ozena . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Catarrh . . .	3	1	4	-	-	-	2	4	6	-	-	-	-	-	-	-	
Epistaxis . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Tonsillitis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pharyngitis . . .	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	
Laryngitis . . .	-	1	1	-	-	-	-	3	3	-	-	1	1	-	-	-	
Bronchitis . . .	13	28	41	-	-	-	16	23	39	-	-	5	2	7	-	-	
Bronchitis, Chronic	2	2	4	-	-	-	1	3	3	-	-	2	2	4	-	-	
Asthma . . .	-	-	-	-	-	-	9	3	12	-	-	-	4	1	-	-	
Pertussis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congestion of Lungs	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	
Pneumonia . . .	4	1	5	-	-	-	2	1	3	-	-	2	2	2	1	-	
Pleuritis . . .	2	6	8	-	-	-	1	2	3	-	-	-	-	-	-	-	
Heart Disease . .	-	1	1	-	1	2	2	4	-	-	3	4	7	-	-	-	
Endocarditis . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dyspepsia . . .	-	5	5	-	-	-	4	8	12	-	5	12	17	-	-	-	
Cancer of Stomach	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
Diarrhoea . . .	18	6	24	-	-	-	2	-	2	-	8	2	10	-	-	-	
Cholera Morbus . .	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteritis . . .	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	
Dysentery . . .	7	2	9	-	-	-	-	-	-	-	2	2	2	-	-	-	
Constipation . . .	1	4	5	-	-	-	5	5	10	-	2	6	8	-	-	-	
Hæmorrhoids . . .	1	1	2	-	-	-	1	2	3	-	5	3	8	-	-	-	
Hepatitis . . .	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis . . .	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	
Bright's Disease . .	-	-	-	-	-	-	-	-	-	-	3	-	3	2	-	-	
Ascites . . .	1	-	1	-	-	-	-	1	1	-	2	1	3	1	-	-	
Cystitis . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Incontinence of Urine . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gravel . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis . . .	8	4	12	3	-	11	3	14	2	-	10	3	13	2	-	-	
Rheumatism . . .	10	12	22	-	-	25	25	50	-	-	15	16	31	-	-	-	
Rheumatism, Chronic	1	-	1	-	-	4	3	7	-	-	2	3	5	-	-	-	
Erysipelas . . .	-	-	-	-	-	2	1	3	-	-	4	1	5	-	-	-	
Ephemeral Fever . .	-	1	1	-	-	-	2	2	-	-	1	-	1	-	-	-	
Intermittent Fever .	14	12	26	-	-	16	8	24	-	-	14	8	22	-	-	-	
Remittent Fever . .	5	1	6	-	-	1	2	3	-	-	4	2	6	-	-	-	
Typhoid Fever . . .	1	1	2	-	-	-	-	-	-	-	4	1	-	-	-	-	
Total . . .	107	101	208	3	1	117	117	234	2	-	100	75	175	6	-	-	

APRIL.			MAY.			JUNE.		
Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.	Mean Therm.	Rain Fall.	Direction and Force of Wind.
48°	2.990	S. W. h. N. E. h.	57½°	3.285	S. W. g. S. E. h.	70½°	3.410	S. W. g. N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FORTY
TO SIXTY YEARS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.			JULY.			AUGUST.			SEPTEMBER.							
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.
Epilepsy . . .	1	-	1	-	-	2	-	2	-	-	1	-	1	-	-	-	
Convulsions . .	2	-	2	-	-	1	1	-	-	-	1	1	2	3	3	3	
Congestion of Brain	-	-	-	-	-	-	-	1	-	-	2	3	1	3	3	3	
Paralysis . . .	-	-	-	-	-	1	-	1	-	-	2	3	2	2	2	2	
Paralysis, Partial .	1	-	1	-	-	2	-	2	-	-	2	3	2	2	2	2	
Hemiplegia . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spinal Disease . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neuralgia . . .	5	3	8	-	-	1	1	2	-	-	2	1	3	3	3	3	
Conjunctivitis . .	2	-	2	-	-	1	1	2	-	-	2	2	2	2	2	2	
Granular Lids . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Keratitis . . .	-	2	2	-	-	1	2	3	-	-	3	1	4	4	4	4	
Iritis . . .	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ozena . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Catarrh . . .	1	-	1	-	-	5	3	8	-	-	2	2	4	4	4	4	
Epistaxis . . .	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	
Tonsillitis . . .	-	-	-	-	-	2	-	2	-	-	3	-	3	3	3	3	
Pharyngitis . . .	1	1	2	-	-	2	4	6	-	-	2	2	4	4	4	4	
Laryngitis . . .	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis . . .	4	4	8	-	-	3	-	3	-	-	4	4	8	8	8	8	
Bronchitis, Chronic	1	2	3	-	-	1	-	1	-	-	2	2	4	4	4	4	
Asthma . . .	3	1	4	-	-	4	3	7	-	-	4	3	7	7	7	7	
Pertussis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congestion of Lungs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia . . .	2	1	3	-	-	-	-	-	-	-	5	7	12	12	12	12	
Pleuritis . . .	-	1	1	-	-	3	2	5	-	-	3	2	5	5	5	5	
Heart Disease . .	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Endocarditis . .	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	
Dyspepsia . . .	6	5	11	-	-	5	5	10	-	-	2	6	8	8	8	8	
Cancer of Stomach	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Diarrhoea . . .	7	7	14	-	-	15	8	23	-	-	4	4	8	8	8	8	
Cholera Morbus . .	8	2	10	-	-	3	1	4	1	-	1	1	2	2	2	2	
Enteritis . . .	-	1	1	-	-	-	2	2	-	-	1	1	2	2	2	2	
Dysentery . . .	3	4	7	-	-	6	3	9	-	-	7	7	14	14	14	14	
Constipation . . .	-	2	2	-	-	2	6	8	-	-	1	3	4	4	4	4	
Hæmorrhoids . . .	2	1	3	-	-	-	-	-	-	-	2	2	4	4	4	4	
Hepatitis . . .	-	3	3	-	-	2	3	5	-	-	2	2	4	4	4	4	
Jaundice . . .	-	1	1	-	-	-	-	-	-	-	1	1	2	2	2	2	
Nephritis . . .	2	-	2	-	-	-	-	-	-	-	1	1	2	2	2	2	
Bright's Disease .	6	-	6	1	-	1	-	1	-	-	-	-	-	-	-	-	
Ascites . . .	2	3	5	-	-	1	1	2	-	-	-	-	-	-	-	-	
Cystitis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Incontinence of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urine . . .	1	-	1	-	-	1	1	2	-	-	1	-	1	-	-	-	
Gravel . . .	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
Phthisis . . .	9	4	13	2	1	6	1	7	-	-	4	2	6	6	6	6	
Rheumatism . . .	12	7	19	-	-	3	8	11	-	-	10	11	21	21	21	21	
Rheumatism, Chronic	5	2	7	-	-	2	1	3	-	-	-	-	-	-	-	-	
Erysipelas . . .	4	3	7	-	-	-	2	2	-	-	-	-	-	-	-	-	
Ephemeral Fever .	2	-	2	-	-	1	-	1	-	-	1	3	4	4	4	4	
Intermittent Fever	11	6	17	-	-	9	6	15	-	-	21	9	30	30	30	30	
Remittent Fever .	1	1	2	-	-	3	-	3	-	-	9	3	12	12	12	12	
Typhoid Fever . .	-	-	-	-	-	3	2	5	-	-	6	4	10	10	10	10	
Total . . .	109	70	179	4	1	91	68	159	2	-	108	86	194	194	194	194	

JULY.				AUGUST.				SEPTEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
72½°	4.050	S. W. h.	N. W. g.	72°	2.560	N. W. g.	S. W. g.	64°	6.430	S. W. g.	S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF FORTY
TO SIXTY YEARS, FOR THE YEAR 1872.— *Continued.*

LIST OF DISEASES.	1872.			OCTOBER.			NOVEMBER.			DECEMBER.			Total Patients.	Total Deaths.			
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Sexes.		Total.					
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.						
Epilepsy . . .	-	-	-	-	-	-	-	-	-	1	3	-	21	-			
Convulsions . .	1	-	1	-	-	-	-	-	-	4	5	-	32	-			
Congestion of Brain	-	-	-	-	-	-	-	-	-	1	1	-	7	1			
Paralysis . . .	4	1	5	-	-	1	1	2	-	1	2	-	27	-			
Paralysis, Partial .	1	-	1	-	-	1	1	1	-	-	-	-	27	-			
Hemiplegia . . .	-	-	-	-	-	-	-	-	-	1	1	-	2	-			
Spinal Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	10	-			
Neuralgia . . .	-	2	2	-	-	1	4	5	-	7	12	19	168	-			
Conjunctivitis . .	1	1	2	-	-	1	1	2	-	1	1	-	42	-			
Granular Lids . .	-	-	-	-	-	-	-	-	-	-	-	-	9	-			
Keratitis . . .	1	1	2	-	-	3	-	3	-	2	1	3	31	-			
Iritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Ozæna . . .	-	-	-	-	-	-	-	-	-	1	1	-	1	-			
Catarrh . . .	1	3	4	-	-	7	4	11	-	7	9	16	113	-			
Epistaxis . . .	-	-	-	-	-	-	-	-	-	1	1	-	5	-			
Tonsillitis . . .	-	1	1	-	-	-	1	1	-	3	1	4	52	-			
Pharyngitis . . .	-	-	-	-	-	1	1	2	-	-	-	-	37	-			
Laryngitis . . .	2	-	2	-	-	-	-	-	-	-	-	-	19	-			
Bronchitis . . .	8	6	14	-	-	39	23	62	-	53	22	75	619	3			
Bronchitis, Chronic	-	1	1	-	-	5	3	8	-	4	2	6	83	-			
Asthma . . .	10	-	10	-	-	5	2	7	-	13	2	15	105	-			
Pertussis . . .	-	-	-	-	-	5	-	5	-	6	1	7	22	-			
Congestion of Lungs	-	-	-	-	-	-	-	-	-	-	-	-	16	-			
Pneumonia . . .	4	2	6	-	-	18	8	26	-	22	3	30	128	5			
Pleuritis . . .	3	1	4	-	-	1	-	1	-	8	3	11	127	-			
Heart Disease . .	1	-	1	-	-	-	-	-	-	-	-	-	84	3			
Endocarditis . . .	-	-	-	-	-	-	-	-	-	-	-	-	4	-			
Dyspepsia . . .	-	5	5	-	-	4	2	6	-	2	5	7	187	-			
Cancer of Stomach	-	-	-	-	-	-	-	-	-	1	1	-	3	-			
Diarrhoea . . .	1	3	4	-	-	1	-	1	-	2	-	2	134	1			
Cholera Morbus . .	-	-	-	-	-	-	-	-	-	-	-	-	19	1			
Enteritis . . .	-	-	-	-	-	2	-	2	-	-	-	-	14	1			
Dysentery . . .	4	1	5	-	-	-	-	-	-	1	1	-	58	-			
Constipation . . .	-	2	2	-	-	1	-	1	-	1	5	6	106	-			
Hæmorrhoids . . .	2	-	2	-	-	1	1	1	-	1	-	-	52	-			
Hepatitis . . .	1	2	3	-	-	-	-	-	-	1	-	-	33	-			
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Nephritis . . .	1	-	1	-	-	-	-	-	-	-	-	-	12	-			
Bright's Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	15	3			
Ascites . . .	3	-	3	-	-	5	2	7	-	3	-	3	29	3			
Cystitis . . .	-	1	1	-	-	3	-	3	-	-	-	-	6	-			
Incontinence of Urine . . .	-	-	-	-	-	2	-	2	-	1	-	1	20	-			
Gravel . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Phthisis . . .	13	8	21	-	-	8	6	14	2	18	9	27	216	25			
Rheumatism . . .	12	7	19	-	-	15	11	26	-	37	19	56	599	-			
Rheumatism, Chronic	3	-	3	-	-	3	5	8	-	3	4	7	74	-			
Erysipelas . . .	2	-	2	-	-	1	1	2	-	6	2	8	40	-			
Ephemeral Fever . .	-	-	-	-	-	-	-	-	-	2	-	-	25	-			
Intermittent Fever .	21	11	32	-	-	7	5	12	-	5	3	8	294	-			
Remittent Fever . .	2	2	4	-	-	3	-	3	-	-	-	-	87	-			
Typhoid Fever . . .	-	-	-	-	-	1	-	1	-	-	-	1	39	11			
Total . . .	102	61	163	-	-	143	82	225	2	2	217	114	331	6	1	3,763	52

OCTOBER.				NOVEMBER.				DECEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
52	.650	N. E. g.	S. W. h.	32½°	.800	N. W. h.	N. W. g.	19°	.430	N. W. g.	S. W. g.

ADDITIONAL TABLE OF THE DISEASES AND MORTALITY
OF PATIENTS UNCLASSIFIED AS TO SEX, FROM 40 TO 60 YEARS OF AGE, FOR THE YEAR 1872.

1872.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	Total Patients.	Total Deaths.
	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.
Abscess	6	-	4	-	2	3	1	8	3	-	4	-	45	-
Round	23	9	19	-	6	9	25	6	1	-	18	-	189	1
Ulcer	29	21	-	10	-	-	-	8	1	-	2	-	73	22
Frost-bite	21	14	6	-	8	3	10	3	1	4	2	-	25	4
Contusion	4	5	2	-	1	-	-	1	2	-	-	-	16	-
Contused Wound	4	5	2	-	1	-	-	1	-	-	-	-	16	-
Incised Wound	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Paronychia	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Varix	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Varicose Vains	2	5	3	-	1	-	2	1	1	-	2	-	1	-
Fracture of Clavicle	5	4	2	-	1	-	3	-	1	-	-	-	22	-
Fracture of Radius	5	4	2	-	1	-	1	-	1	-	1	-	20	-
Fracture of Tibia	2	1	1	-	1	-	1	-	-	-	6	-	11	-
Periostitis	2	1	1	-	-	-	-	-	-	-	-	-	8	-
Necrosis	2	3	2	-	2	-	1	-	-	-	-	-	2	-
Synovitis	2	1	2	-	1	-	1	-	-	-	-	-	11	-
Hernia, Inguinal	15	24	20	13	8	5	2	17	4	1	1	3	18	2
Anemia	2	1	2	-	2	1	1	1	1	1	1	-	10	-
Debility	22	19	21	10	19	23	15	17	14	11	9	-	113	14
Malaise	9	8	4	1	-	23	-	1	1	-	2	-	181	1
Hysteria	6	7	2	1	-	2	-	3	1	-	-	-	33	-
Cephalalgia	5	2	4	1	-	3	-	1	1	-	-	-	16	-
Vertigo	2	1	2	1	-	1	-	1	1	-	-	-	8	-
Hydrocephalus	-	1	-	-	-	1	-	-	-	-	-	-	1	-
Softening of Brain	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Ophthalmia	21	20	11	6	13	6	-	2	2	3	5	-	94	4
Otitis	19	15	10	4	-	2	-	6	-	-	2	-	57	-
Stomatitis	4	5	2	1	-	-	-	-	-	-	-	-	14	-
Angina	3	2	1	-	-	-	-	-	-	-	-	-	7	-
Hemoptysis	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Pneumonia	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Total	217	211	120	63	64	92	65	42	49	36	47	98	1,074	2

ADDITIONAL TABLE OF DISEASES AND MORTALITY. — *Continued.*

1872.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	Deaths.	Total Patients.
	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Deaths.
Cardialgia.	1	—	—	—	—	—	—	—	—	—	—	—	—	2
Gastritis.	2	—	—	—	—	—	—	—	—	—	—	—	—	11
Gastralgia.	2	—	—	—	—	—	—	—	—	—	—	—	—	13
Fistula in Ano.	2	—	—	—	—	—	—	—	—	—	—	—	—	5
Colic.	2	—	—	—	—	—	—	—	—	—	—	—	—	12
Gonorrhoea.	2	—	—	—	—	—	—	—	—	—	—	—	—	8
Gonitis.	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Meritis.	1	—	—	—	—	—	—	—	—	—	—	—	—	8
Uterine Disease.	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Abortion.	26	41	29	12	9	15	12	11	14	2	7	14	8	188
Leucorrhoea.	4	6	6	1	4	2	2	—	—	—	—	—	—	150
Displacement of Uterus.	4	2	2	1	1	2	2	—	—	—	—	—	—	16
Chlorosis.	1	—	—	—	—	—	—	—	—	—	—	—	—	27
Amenorrhoea.	2	—	—	—	—	—	—	—	—	—	—	—	—	16
Dysmenorrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Menorrhagia.	6	9	5	2	1	4	3	—	—	—	—	—	—	84
Adenitis.	7	7	5	1	3	1	2	—	—	—	—	—	—	24
Serolitis.	4	2	2	1	1	1	2	—	—	—	—	—	—	20
Marasmus.	—	—	—	—	—	—	—	—	—	—	—	—	—	25
Lumbago.	15	18	—	—	—	5	2	—	—	—	—	—	—	52
Sciatica.	6	6	6	2	1	—	1	—	—	—	—	—	—	26
Coxalgia.	1	2	1	1	—	—	—	—	—	—	—	—	—	4
Scarlatis.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis.	10	4	2	2	3	1	5	—	—	—	—	—	—	11
Syphilis, Secondary.	4	1	1	1	1	2	1	—	—	—	—	—	—	60
Syphilis, Tertiary.	1	—	—	—	—	—	—	—	—	—	—	—	—	20
Erythema.	—	—	—	—	—	—	—	—	—	—	—	—	—	9
Eczema.	4	—	2	1	3	2	1	—	—	—	—	—	—	9
Urticaria.	—	—	—	—	—	—	—	—	—	—	—	—	—	28
Prurigo.	—	—	—	—	—	—	—	—	—	—	—	—	—	8
Psoriasis.	—	—	—	—	—	—	—	—	—	—	—	—	—	8
Herpes.	—	—	—	—	—	—	—	—	—	—	—	—	—	12
Total.	113	129	86	83	89	59	49	38	48	36	27	51	—	705

Male Patients, Classified, 2,120; Female Patients, Classified, 1,643; Patients, Unclassified by Sexes, 1,782; Total Patients, 5,545.
Deaths of Male Patients, 41; Deaths of Female Patients, 11; Deaths of Unclassified Patients, 2; Total Deaths, 54.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF SIXTY YEARS
AND UPWARDS, FOR THE YEAR 1872.

1872.	JANUARY.						FEBRUARY.						MARCH.					
LIST OF DISEASES.	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.		Male.	Female.	Total.	Male.	Female.		Male.	Female.	Total.	Male.	Female.	
Bronchitis . . .	15	10	25	-	-		17	12	29	-	-		16	5	21	1	-	
Bronchitis, Chronic	6	4	10	-	-		7	4	11	-	-		6	6	12	-	-	
Asthma . . .	6	4	10	-	-		6	7	13	-	-		10	5	15	-	-	
Congestion of Lungs	1	-	1	-	-		1	-	1	-	-		1	-	1	-	-	
Pneumonia . . .	2	5	7	-	-		2	3	5	-	-		3	1	4	-	-	
Emphysema Pulm.	1	-	1	-	-		-	-	-	-	-		-	1	1	-	-	
Pleuritis . . .	1	1	2	-	-		1	1	2	-	-		1	1	2	-	-	
Heart Disease . .	3	-	3	-	-		2	-	2	-	-		1	-	1	1	-	
Endocarditis . .	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	
Dyspepsia . . .	3	3	6	-	-		3	4	7	-	-		4	2	6	-	-	
Cancer of Stomach	-	-	-	-	-		1	-	1	-	-		-	-	-	-	-	
Diarrhoea . . .	-	-	-	-	-		1	-	1	-	-		4	3	7	-	-	
Diarrhoea, Chronic	-	-	-	-	-		-	-	-	-	-		6	2	8	1	-	
Cholera Morbus . .	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	
Enteritis . . .	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	
Dysentery . . .	-	-	-	-	-		1	-	1	-	-		-	-	-	-	-	
Constipation . . .	3	6	9	-	-		2	5	7	-	-		4	2	6	-	-	
Hæmorrhoids . . .	1	-	1	-	-		2	2	4	-	-		1	-	1	-	-	
Peritonitis . . .	-	-	-	-	-		1	-	1	-	-		-	-	-	-	-	
Hepatitis . . .	-	1	1	-	-		1	1	2	-	-		-	-	-	-	-	
Renal Calculi . . .	-	1	1	-	-		-	-	-	-	-		-	-	-	-	-	
Nephritis . . .	1	-	1	-	-		1	-	1	-	-		-	-	-	-	-	
Bright's Disease . .	1	-	1	-	-		1	-	1	-	-		-	-	-	-	-	
Ascites . . .	2	1	3	-	-		1	4	5	-	-		3	3	6	1	-	
Anasarca . . .	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	
Cystitis . . .	-	1	1	-	-		-	-	-	-	-		1	-	1	-	-	
Dysuria . . .	-	-	-	-	-		-	-	-	-	-		1	-	1	-	-	
Incontinence of	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-	
Urine . . .	2	-	2	-	-		2	1	3	-	-		2	-	2	-	-	
Gravel . . .	2	-	2	-	-		1	2	3	-	-		2	-	2	-	-	
Phthisis . . .	4	5	9	-	1		4	11	15	-	-		5	1	6	1	-	
Rheumatism . . .	20	11	31	-	-		17	20	37	-	-		15	6	21	23	-	
Rheumatism, Chronic	3	2	5	-	-		7	4	11	-	-		4	2	6	-	-	
Erysipelas . . .	1	-	1	-	-		4	1	5	-	-		2	2	4	-	-	
Intermittent Fever .	6	3	9	-	-		1	5	6	-	-		4	3	7	-	-	
Remittent Fever . .	1	3	4	-	-		3	2	5	-	-		1	5	6	-	-	
Typhoid Fever . . .	2	-	2	-	-		2	1	3	-	-		2	-	2	-	-	
Total	86	61	147	-	1		90	91	181	-	-		97	53	150	5	-	

JANUARY.				FEBRUARY.				MARCH.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
26°	.670	S. W. h.	N. W. g.	27°	.690	S. W. g.	S. E. g.	29°	3.220	N. E. h.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF SIXTY YEARS
AND UPWARDS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.						APRIL.						MAY.						JUNE.					
	Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.			Sexes.			Deaths.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
Bronchitis	14	5	19	-	-	-	3	2	5	-	-	-	4	2	6	-	-	-	-	-	-	-	-	-
Bronchitis, Chronic	2	1	3	-	-	-	4	1	5	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Asthma	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congestion of Lungs	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	1	1	2	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Emphysema	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleuritis	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease . . .	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocarditis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	2	1	3	-	-	-	3	1	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Cancer of Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	11	5	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Chronic	6	3	9	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera Morbus . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Constipation . . .	5	2	7	-	-	-	3	2	5	-	-	-	4	2	6	-	-	-	-	-	-	-	-	-
Hæmorrhoids . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal Calculi . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	2	-	2	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-
Anasarca	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of Urine	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gravel	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis	2	1	3	-	1	2	1	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-
Rheumatism	11	5	16	-	-	-	3	2	5	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-
Rheumatism, Chronic	2	1	3	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Intermittent Fever .	4	2	6	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remittent Fever . .	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	74	28	102	1	1	2	24	8	32	1	-	1	21	10	31	3	-	-	-	-	-	-	-	-

APRIL.				MAY.				JUNE.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
48°	2.990	S. W. h.	N. E. h.	57½°	3.285	S. W. g.	S. E. h.	70½°	3.410	S. W. g.	N. W. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF SIXTY YEARS
AND UPWARDS, FOR THE YEAR 1872. — *Continued.*

LIST OF DISEASES.	1872.			JULY.			AUGUST.			SEPTEMBER.							
	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.		Total.	Sexes.		Total.	Deaths.	
	Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.		Male.	Female.
Bronchitis	3	3	6	-	-	1	1	2	-	-	1	1	2	-	-	-	-
Bronchitis, Chronic	1	-	1	1	-	-	-	-	-	-	1	1	2	-	-	-	-
Asthma	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Congestion of Lungs	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	-	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	2	1	3	-	-	3	1	4	-	-	-	2	2	-	-	-	-
Cancer of Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	7	4	11	-	-	1	1	2	-	-	3	2	5	-	-	-	-
Diarrhoea, Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera Morbus	1	1	2	-	-	2	-	2	-	-	-	1	1	-	-	-	-
Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	2	1	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-
Constipation	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hæmorrhoids	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal Calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Bright's Disease	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Ascites	1	-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-
Anasarca	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incontinence of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gravel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	2	1	3	2	1	2	1	3	1	1	1	-	1	-	-	-	-
Rheumatism	4	2	6	-	-	1	-	1	-	-	2	-	2	1	-	-	-
Rheumatism, Chronic	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intermittent Fever	-	-	-	-	-	2	1	3	-	-	3	1	4	-	-	-	-
Remittent Fever	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
Total	30	18	48	3	1	16	6	22	1	1	21	9	30	2	-	-	-

JULY.				AUGUST.				SEPTEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
72½°	4.050	S. W. h.	N. W. g.	72°	2.560	N. W. g.	S. W. g.	64°	6.430	S. W. g.	S. E. g.

TABLE OF THE DISEASES AND MORTALITY
OF MALE AND FEMALE PATIENTS, FROM THE AGE OF SIXTY YEARS
AND UPWARDS, FOR THE YEAR 1872. — *Continued.*

1872.	OCTOBER.					NOVEMBER.					DECEMBER.					Total Patients.	Total Deaths.
LIST OF DISEASES.	Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.		Sexes.		Total.	Deaths.			
	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.	Male.	Female.		Male.	Female.		
	Bronchitis	4	2	6	—	—	4	2	6	—	—	5	2	7	—		
Bronchitis, Chronic	1	1	2	—	—	3	1	4	—	—	1	1	2	—	—	48	1
Asthma	4	1	5	—	—	4	1	5	—	—	1	1	2	—	—	59	—
Congestion of Lungs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—
Pneumonia	—	—	1	—	—	—	1	1	—	—	1	1	2	—	—	23	—
Emphysema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Pleuritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—
Heart Disease	—	1	1	1	1	—	—	—	—	—	2	1	3	—	1	14	5
Endocarditis	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	1	—
Dyspepsia	—	1	1	—	—	1	1	2	—	—	—	1	1	—	—	40	—
Cancer of Stomach	1	—	1	—	—	—	—	—	—	—	—	1	1	—	—	5	1
Diarrhoea	3	1	4	—	—	—	—	—	—	—	1	2	3	—	—	51	—
Diarrhoea, Chronic	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	17	1
Cholera Morbus . . .	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—
Dysentery	—	—	—	—	—	1	—	1	1	—	1	1	2	1	—	11	2
Constipation	—	—	—	—	—	1	1	2	—	—	1	3	4	—	—	47	—
Hæmorrhoids	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	9	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Renal Calculi	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Nephritis	1	1	2	—	—	—	—	—	—	—	—	1	1	—	—	6	—
Bright's Disease . .	—	—	—	—	—	1	—	1	1	—	1	1	—	—	—	6	1
Ascites	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	23	3
Anasarca	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	4	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Dysuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Incontinence of Urine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—
Gravel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—
Phthisis	—	—	—	—	—	—	—	—	—	—	5	2	7	1	—	50	11
Rheumatism	3	1	4	1	—	4	2	6	—	—	8	4	12	—	—	146	2
Rheumatism, Chronic	1	1	2	—	—	—	—	—	—	—	1	1	2	—	—	33	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—
Intermittent Fever .	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	40	—
Remittent Fever . .	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	23	—
Typhoid Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—
Total	20	10	30	2	1	19	9	28	2	—	34	25	59	2	1	800	28

OCTOBER.				NOVEMBER.				DECEMBER.			
Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.		Mean Therm.	Rain Fall.	Direction and Force of Wind.	
52°	.650	N. E. g.	S. W. h.	32½°	.800	N. W. h.	N. W. g.	19°	.430	N. W. g.	S. W. g.

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF SIXTY YEARS
AND UPWARDS, FOR THE YEAR 1872.

1872.	JAN.	FEB.	MAR.	APRIL	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC.							
LIST OF DISEASES.	Patients.	Patients.	Deaths.	Patients.	Deaths.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Deaths.	Patients.	Deaths.	Total Patients.	Total Deaths.			
Abscess . . .	1	2	-	1	-	1	-	1	-	1	-	-	1	-	9	-			
Ulcer . . .	12	16	-	10	-	4	-	3	3	6	1	3	2	12	67	-			
Inflammation of																			
Mamma . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Frost-bite . .	9	5	-	-	-	-	-	-	-	-	1	1	1	1	17	-			
Concussion . .	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-			
Contusion . .	2	2	-	3	-	1	-	1	-	1	-	12	-	-	12	-			
Contused wound	1	-	-	1	-	-	-	1	-	-	2	-	-	-	5	-			
Incised wound	1	2	-	1	-	-	-	-	-	-	-	-	-	-	4	-			
Paronychia . .	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-			
Periostitis . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-			
Exostosis . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-			
Caries . . .	-	-	-	1	-	1	-	-	1	1	-	-	-	-	4	-			
Necrosis . . .	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-			
Arthritis . . .	1	-	-	1	-	-	-	-	1	-	-	-	1	-	5	-			
Synovitis . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Hernia . . .	5	8	-	3	-	2	-	3	1	-	1	-	1	-	25	-			
Anæmia . . .	-	-	-	-	1	1	2	1	-	-	-	-	-	-	5	-			
Debility, or Old																			
Age . . .	46	25	2	17	1	10	1	10	10	10	6	4	3	2	1	149	6		
Malaise . . .	1	1	-	1	-	-	-	-	-	-	-	-	-	-	3	-			
Hysteria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Cephalalgia . .	2	1	-	1	-	1	-	2	1	-	-	-	-	-	8	-			
Softening of																			
Brain . . .	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	4	1		
Meningitis . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-			
Paralysis . . .	2	3	-	1	-	-	1	-	-	-	1	-	1	-	9	-			
Paralysis, partial	-	1	-	2	-	1	-	-	-	-	-	-	-	-	4	-			
Hemiplegia . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-			
Spinal disease	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
Neuralgia . . .	4	5	-	2	-	1	-	1	-	1	-	-	4	-	18	-			
Odontalgia . .	2	3	-	4	-	1	-	1	-	-	-	1	1	-	14	-			
Otalgia . . .	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-			
Otitis . . .	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-			
Total . . .	91	78	2	50	1	26	1	27	22	22	11	13	11	10	1	23	2	384	7

Total of Male Patients for the year 1872, classified 14,168

Total of Female Patients for the year 1872, classified 11,203

Total of Patients for the year 1872, unclassified by Sexes 14,181

Grand Total Patients for the year 1872 89,552

Total Deaths of Male Patients, for the year 1872 207

Total Deaths of Female Patients, for the year 1872 121

Total Deaths of unclassified Patients, for the year 1872 35

Grand Total Deaths for the year 1872 363

ADDITIONAL TABLE OF THE SICKNESS AND MORTALITY
OF PATIENTS, UNCLASSIFIED AS TO SEX, FROM THE AGE OF SIXTY
YEARS AND UPWARDS, FOR THE YEAR 1872.— *Continued.*

1872.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	
LIST OF DISEASES.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Patients.	Total Patients.
Conjunctivitis	2	3	1	1	-	-	-	1	-	1	2	-	11
Granular Lids	1	2	1	-	-	-	-	-	-	-	-	-	4
Catarrh	12	16	12	8	4	1	-	-	-	-	4	6	63
Stomatitis	-	-	-	-	1	-	-	-	-	-	-	-	1
Quinsy	1	1	1	-	-	-	-	-	-	-	-	-	3
Pharyngitis	-	1	-	-	1	1	-	-	-	-	-	-	3
Diphtheria	-	1	-	1	-	-	-	-	-	-	-	-	2
Laryngitis	-	-	-	-	-	-	-	-	-	-	1	-	1
Trachitis	1	1	1	-	-	-	-	-	-	-	-	-	3
Pyrosis	-	-	-	-	1	-	-	-	-	-	-	-	1
Gastralgia	1	1	1	-	-	1	1	-	-	-	-	-	5
Orchitis	1	1	-	-	-	-	-	-	-	-	-	-	2
Uterine disease	1	1	-	-	-	-	1	-	-	-	-	-	3
Leucorrhœa	-	1	-	-	1	-	-	-	-	-	-	-	2
Tumors	2	1	1	1	1	-	-	-	-	-	-	-	6
Tumor of Breast	-	1	-	-	-	1	-	1	-	-	-	1	4
Goitre	-	1	-	-	-	-	-	-	-	-	-	-	1
Adenitis	2	1	1	1	-	-	1	-	1	2	1	1	11
Scrofula	1	1	1	1	-	-	1	-	-	1	1	1	8
Morbus Coxarines	-	-	-	-	-	-	-	-	1	-	-	-	1
Fatty Degeneration	1	3	1	1	-	-	-	-	-	-	-	-	6
Lumbago	1	1	1	1	8	2	-	2	-	-	-	-	16
Sciatica	1	1	1	1	-	-	1	-	-	-	-	1	6
Pleurodynia	-	-	-	-	1	-	-	-	-	-	-	-	1
Ephemeral Fever	-	-	-	-	1	1	-	-	-	-	-	-	2
Syphilis	-	-	-	1	-	1	-	-	-	-	-	-	2
Syphilis Secondary	-	-	-	1	1	-	1	-	-	-	-	-	3
Eczema	-	2	1	1	1	2	1	-	-	1	-	-	10
Herpes	-	-	-	-	-	1	-	-	-	-	-	-	1
Porrigio	-	-	-	-	-	-	1	-	1	-	-	-	2
Total	29	41	24	19	21	11	8	4	3	5	9	10	184

Male Patients, Classified 532

Deaths of Male Patients 22

Female Patients, Classified 328

Deaths of Female Patients 6

Patients, Unclassified by Sexes 568

Deaths of Unclassified Patients 7

Total Patients, Sixty and over . 1,428

Total Deaths 35

Per cent. of deaths of Male Patients, of all ages 1.46

Per cent. of deaths of Female Patients, of all ages 1.08

Per cent. of deaths of Unclassified Patients, of all ages 0.25

Per cent. of whole number of deaths to whole number of Patients 0.92

TABULAR STATEMENT OF 26,549 VACCINATIONS AND REVACCINATIONS,
AT DIFFERENT PERIODS OF LIFE, IN WHICH THE RESULTS WERE CAREFULLY OBSERVED AND RECORDED BY PHYSICIANS OF THE RELIEF AND AID SOCIETY, DURING THE WINTER OF 1871 AND 1872.—*Continued.*

NATIONALITY.	SUCCESSFUL. FROM TEN TO TWENTY YEARS.										SUCCESSFUL. FROM TWENTY YEARS AND UPWARDS.										Total (Cases of Small-pox, in Nationality.)
	Vaccinated and Revaccinated.					Small-pox.					Vaccinated and Revaccinated.					Small-pox.					
	1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.	Total Small-pox From 20 Years and upwards.	Total Vaccinated From Twenty Years and upwards.	
Irish	207	919	353	8	19	12	1,479	39	347	1,607	452	84	150	42	2,406	276	6,701	339			
Irish-American	14	395	165	5	26	4	475	55	5	39	11	4	9	1	35	14	1,280	62			
German	97	485	127	2	3	2	769	7	190	1,030	385	18	41	18	77	24	2,690	99			
German-American	40	377	41	10	20	8	458	42	3	28	5	1	1	1	34	8	1,690	70			
American	95	208	63	8	7	1	396	11	107	802	135	18	5	3	645	21	1,590	40			
English	7	63	21	7	3	1	95	4	85	97	44	9	13	2	176	24	492	20			
Canadian	—	23	8	1	2	—	36	3	2	38	10	—	3	—	48	3	215	7			
Norwegian	50	96	39	1	1	—	185	1	104	141	141	2	7	4	594	18	906	15			
Swedish	48	147	40	4	—	1	33	7	126	283	155	9	12	2	644	23	1,367	88			
Scotch	2	23	8	—	—	—	33	—	6	27	7	2	2	—	40	4	139	4			
French	6	12	12	—	—	—	50	—	28	34	29	1	—	—	91	1	207	1			
Miscellaneous Nationality	82	93	18	—	3	—	146	8	60	198	51	3	9	1	369	13	819	17			
Total	598	2,854	796	34	95	23	4,248	152	1,013	3,893	1,435	146	252	74	6,281	472	18,990	726			

TABULAR STATEMENT OF 26,549 VACCINATIONS AND REVACCINATIONS,
AT DIFFERENT PERIODS OF LIFE, IN WHICH THE RESULTS WERE CAREFULLY OBSERVED AND RECORDED BY PHYSICIANS OF THE RELIEF AND AID SOCIETY, DURING THE WINTER OF 1871 AND 1872. — *Continued.*

NATIONALITY.	UNSUCCESSFUL. UNDER FIVE YEARS.										UNSUCCESSFUL. FROM FIVE TO TEN YEARS.									
	Vaccinated and Revaccinated.			Small-pox.			Total Vaccinated and Revaccinated Under Five.				Vaccinated and Revaccinated.			Small-pox.			Total Vaccinated and Revaccinated From Five to Ten.			
	1.	2.	3.	1.	2.	3.	1.	2.	3.	Total Small-pox Under Five.	1.	2.	3.	1.	2.	3.	1.	2.	3.	Total Small-pox From Five to Ten.
Irish	98	153	80	1	4	1	276	65	6	6	47	314	66	11	8	2	427	44	16	497
Irish-American	21	41	8	2	1	1	65	3	3	3	8	81	10	6	9	3	94	11	9	114
German	96	110	20	2	2	1	196	130	4	4	42	198	53	5	2	18	263	11	23	283
German-American	53	75	2	2	2	—	130	95	18	18	18	197	17	5	5	—	209	6	6	221
American	37	57	1	8	10	—	95	21	—	—	14	73	10	5	—	—	87	—	—	97
English	9	12	—	—	—	—	21	3	—	—	—	13	11	—	—	—	24	—	—	24
Canadian	1	2	—	—	1	—	3	—	1	—	—	3	—	—	—	—	—	—	—	—
Norwegian	25	7	5	—	—	—	37	63	—	—	11	28	12	—	—	—	40	—	—	40
Swedish	—	—	8	—	—	—	8	10	—	—	12	61	12	—	—	—	85	—	—	97
Scotch	4	6	—	—	—	—	10	8	—	—	4	9	7	1	—	—	11	—	—	11
French	—	4	—	—	—	—	8	—	—	—	4	7	—	—	—	—	11	—	—	11
Miscellaneous Nationality	16	42	8	—	—	—	66	—	—	—	5	40	2	—	—	—	47	—	—	47
Total	351	542	77	15	18	2	970	85	85	85	157	1,024	189	28	34	7	1,370	—	—	69

TABULAR STATEMENT OF 26,549 VACCINATIONS AND REVACCINATIONS,
AT DIFFERENT PERIODS OF LIFE, IN WHICH THE RESULTS WERE CAREFULLY OBSERVED AND RECORDED BY PHY-
SICIANS OF THE RELIEF AND AID SOCIETY, DURING THE WINTER OF 1871 AND 1872.—*Continued.*

NATIONALITY.	UNSUCCESSFUL. FROM TEN TO TWENTY YEARS.									UNSUCCESSFUL. FROM TWENTY YEARS AND UPWARDS.									Total (Cases of Small-pox in Nationality.)
	Vaccinated and Revaccinated.						Small-pox.			Total Vaccinated and Revaccinated. From Ten to Twenty.	Total Small-pox. From Twenty Years and Upwards.	Vaccinated and Revaccinated.						Total Vaccinated and Revaccinated. From 20 Years and Upwards.	
	Small-pox.			Vaccinated and Revaccinated.			Small-pox.					Vaccinated and Revaccinated.			Small-pox.				
	1.	2.	3.	1.	2.	3.	1.	2.	3.			1.	2.	3.	1.	2.	3.		
Irish	40	388	103	15	9	1	531	24	24	87	823	218	53	127	16	1,198	196	2,362	242
Irish-American	7	151	23	3	15	7	181	19	7	-	15	7	-	4	-	22	4	362	85
German	18	306	74	1	17	2	398	20	268	41	763	268	15	69	15	1,072	99	1,959	183
German-American	15	285	23	6	85	1	323	42	9	1	37	9	1	6	2	17	9	732	78
American	18	93	46	5	5	2	157	1	125	29	176	125	23	15	16	831	54	680	85
English	4	30	6	1	1	1	40	1	26	8	88	26	1	8	1	67	1	152	12
Canadian	-	-	-	-	-	-	1	1	5	-	6	5	-	-	-	1	1	20	2
Norwegian	2	22	9	1	1	1	43	1	31	7	87	31	-	3	-	125	3	259	4
Swedish	29	106	20	4	8	1	164	12	10	15	225	49	9	17	-	283	26	601	40
Scotch	-	3	2	-	1	-	5	1	19	5	21	10	4	3	-	35	7	62	9
French	6	17	5	-	-	-	28	3	13	3	23	13	3	6	-	39	4	86	4
Miscellaneous Nationality	8	49	27	-	2	-	84	2	25	11	100	25	3	6	3	137	12	334	11
Total	117	1,450	348	33	87	6	1,945	129	788	202	2,314	788	169	262	54	8,304	425	7,589	638

REMARKS. Among the Swedes, in one case, there were three small scars on each arm; subsequently the patient had small-pox severely, in two other cases, after successful vaccination, small-pox occurred. Among the English, three cases had small-pox, and were afterwards successfully vaccinated. Among the Norwegians, five cases of small-pox occurred after successful vaccination, of which, one case was fatal. Among the Irish, nineteen cases were successfully vaccinated after they had had small-pox, and fifty-five cases had small-pox after successful vaccination. Among the Germans, one case of small-pox after second unsuccessful vaccination, and twenty-three cases after successful vaccination. One case had small-pox twice. Among the German-Americans, one case had small-pox at seven years, and a successful vaccination occurred afterward between ten and twenty years. Among the Americans, one adult had been several times unsuccessfully vaccinated, and had small-pox. Another case, under five years, was successfully vaccinated, and at same time had small-pox.

CHICAGO RELIEF AND AID SOCIETY.
REQUISITION FOR MEDICAL AND HOSPITAL SUPPLIES.

From

187 to

187

Number of Beds in Hospital,

Articles.	On Hand.	Wanted.	Articles.	On Hand.	Wanted.
Apples			Rice		
Arrow-root			Salt		
Barley			Sago		
Beans			Soap		
Butter			Sugar		
Cabbages			Tea		
Cheese					
Carrots			Turnips		
Cod-fish			Vinegar		
Coffee					
Corn-starch					
Eggs					
Farina					
Flour					
Ginger					
Hams					
Lard					
Oat-meal					
Peaches (dried)					
Pepper					
Potatoes					

187

Surgeon in Charge.

The indorsement on back of above was : —
 Requisition for Medical and Hospital Supplies
 For Hospital, Chicago, Illinois.
 By Surgeon in Charge.

DAILY REPORT
OF HOSPITAL.

DATE.	Number of Beds in Hospital.	Number of Patients in Hospital at date of Last Report.	Number ad- mitted since Last Report.	Discharged.	Deserted.	Died.	Number of Vacant Beds in Hospital	REMARKS.

I certify the above to be correct,

Surgeon in Charge.

The indorsement on back of above was:—

Daily Report

Of

Hospital, Chicago, Illinois.

187

Surgeon in Charge.

CONSOLIDATED WEEKLY REPORT OF DISPENSARIES,
FOR WEEK ENDING 187 .

DISPENSARY.	Number of Patients Treated in Dispensary.	Number of Prescriptions put up.	Total Patients.	Total Visits.	Operations Performed.	VACCINATIONS.

The indorsement on back of above was: —

Consolidated Weekly Report
Of Dispensaries.

Week ending

187 .

FORM OF RECORD BOOK.

Date.	
NAMES.	
Age.	
Occupation.	
Nativity.	
Sexes.	
Single.	
Married.	
Widow.	
Widower.	
DISEASE.	
Duration of Sickness.	
RESIDENCE BEFORE THE FIRE.	
Where Treated.	
Ward of City Lying In.	
Result of Treatment.	
Physician Attending the Patient.	

